

# HPE6-A82<sup>Q&As</sup>

HPE Sales Certified - Aruba Products and Solutions

## Pass HP HPE6-A82 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a82.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which configuration options are necessary to add a Network Access Device into the ClearPass Policy Manager?  
(Choose two.)

- A. HTTPS certificate
- B. ClearPass Admin Password
- C. CLI Console Password
- D. NAD IP Address
- E. Shared Secret

Correct Answer: DE

---

**QUESTION 2**

When should a role mapping policy be used in an 802.1x service with Active Directory as the authentication source?

- A. When you want to match Active Directory attributes directly to an enforcement policy.
- B. When you want to match Active Directory attributes to an Aruba firewall role on an Aruba Network Access Device.
- C. When you want to translate and combine Active Directory attributes into ClearPass roles.
- D. When you want to enable attributes as roles directly without combining multiple attributes.

Correct Answer: A

---

**QUESTION 3**

What is the purpose of service rules in ClearPass?


- A. selects the Enforcement Profiles used in a service
- B. selects the Service to process a request
- C. selects the Authentication Source for the client
- D. selects the Posture Policy used with OnGuard

Correct Answer: C

---

**QUESTION 4**

Refer to the exhibit.



Summary Service Authentication **Authorization** Roles Enforcement

Authorization Details:

Authorization sources from which role mapping attributes are fetched

Authentication Source

1. [Endpoints Repository] [Local SQL DB]

Additional authorization sources from which to fetch role-mapping attributes

[Time Source] [Local SQL DB]  
[Guest User Repository] [Local SQL DB]

Remove  
View Details  
Modify

--Select to Add--

When creating a new ClearPass Service, the [Time Source] has been added as an authorization source. What time source is ClearPass referencing?

- A. the ClearPass server where Insight Master has been enabled
- B. the local clock of the ClearPass server doing the authentication
- C. the local time setting found on the authenticating client machine
- D. the NTP (Network Time Protocol) source indicated in the Cluster settings

Correct Answer: C

#### QUESTION 5

Refer to the exhibit.

**Web Login (Guest Network)**

Use this form to make changes to the Web Login **Guest Network**.

Web Login Editor	
* Name:	<input type="text" value="Guest Network"/> <small>Enter a name for this web login page.</small>
Page Name:	<input type="text" value="arubalogin"/> <small>Enter a page name for this web login.                      The web login will be accessible from "/guest/page_name.php".</small>
Description:	<input type="text"/> <small>Comments or descriptive text about the web login.</small>
* Vendor Settings:	<input type="text" value="Aruba Networks"/> <small>Select a predefined group of settings suitable for standard network configurations.</small>
Login Method:	<input type="text" value="Controller-initiated — Guest browser performs HTTP form submit"/> <small>Select how the user's network login will be handled.                      Server-initiated logins require the user's MAC address to be available, usually from the captive portal redirection process.</small>
* Address:	<input type="text" value="securelogin.arubanetworks.com"/> <small>Enter the IP address or hostname of the vendor's product here.</small>
Secure Login:	<input type="text" value="Use vendor default"/> <small>Select a security option to apply to the web login process.</small>
Dynamic Address:	<input type="checkbox"/> <b>The controller will send the IP to submit credentials</b> <small>In multi-controller deployments, it is often required to post credentials to different addresses made available as part of the original redirection.                      The address above will be used whenever the parameter is not available or fails the requirements below.</small>

Where will the guests browser be redirected during a captive portal login attempt?

- A. The redirect will time out and fail to resolve.
- B. The captive portal page hosted on Aruba Central in the cloud.
- C. The captive portal page hosted on the Aruba controller.
- D. The captive portal page hosted on ClearPass.

Correct Answer: B

[Latest HPE6-A82 Dumps](#)

[HPE6-A82 Study Guide](#)

[HPE6-A82 Braindumps](#)