

HPE6-A82^{Q&As}

HPE Sales Certified - Aruba Products and Solutions

Pass HP HPE6-A82 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a82.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What are "known" endpoints in ClearPass?

- A. "Known" endpoints have be fingerprinted to determine their operating system and manufacturer.
- B. These are endpoints whose beacons have been detected but have never completed authentication.
- C. The label "Known" indicates rogue endpoints labeled as "friendly" or "ignore".
- D. "Known" endpoints can be authenticated based on MAC address to bypass the captive portal login.

Correct Answer: D

QUESTION 2

Which Authorization Source support device profile enforcement?

- A. OnGuard Repository
- B. Local user Repository
- C. Guest User Repository
- D. Endpoint Repository

Correct Answer: B

QUESTION 3

When ClearPass is communicating with external context servers, which connection protocol is typically used?

- A. FTP over SSH
- B. REST APIs over HTTPS
- C. SOAP and XML
- D. YAML

Correct Answer: C

QUESTION 4

An organization wants to have guests connect their own personal devices to the wireless network without requiring a receptionist setting up a guest account.

Which ClearPass feature can be used to meet the organization's requirements?

- A. Policy Manager Enforcement
- B. MAC authentication with profiling
- C. ClearPass Onboard
- D. Guest with self-registration

Correct Answer: D

QUESTION 5

Refer to the exhibit.

Configuration > Authentication > Sources > Add - AD1

Authentication Sources - AD1

Summary	General	Primary	Attributes	Backup 1	Backup 2
Name:	<input type="text" value="AD1"/>				
Description:	<input type="text"/>				
Type:	Active Directory				
Use for Authorization:	<input checked="" type="checkbox"/> Enable to use this Authentication Source to also fetch role mapping attributes				
Authorization Sources:	<input type="text"/>				<input type="button" value="Remove"/> <input type="button" value="View Details"/>
	<input type="text" value="-- Select --"/>				
Server Timeout:	<input type="text" value="10"/> seconds				
Cache Timeout:	<input type="text" value="36000"/> seconds				
Backup Servers Priority:	<input type="text" value="Backup 1"/> <input type="text" value="Backup 2"/>			<input type="button" value="Move Up"/> <input type="button" value="Move Down"/>	<input type="button" value="Add Backup"/> <input type="button" value="Remove"/>
< Back to Authentication Sources		<input type="button" value="Clear Cache"/>		<input type="button" value="Copy"/>	<input type="button" value="Save"/>

What are two consequences of the Cache Timeout being set to 36000 seconds? (Choose two.)

- A. ClearPass will cache all user and machine attributes from AD every 10 hours in anticipation of one of those users or machines attempting to authenticate.
- B. Less traffic is required between ClearPass and the AD server when re-authenticating within a 10 hour period.
- C. The Cache Timeout is designed to reduce the amount of traffic between ClearPass and the AD server by caching user credentials for a 10 hour period.
- D. A user changing departments may not see their Department attribute change in AD reflected while authenticating until the Cache Timeout period has ended.
- E. On a failed authentication attempt, ClearPass will consider any subsequent attempts within 10 hours as total failed

attempts before blacklisting the client.

Correct Answer: AC

[HPE6-A82 Study Guide](#)

[HPE6-A82 Exam Questions](#)

[HPE6-A82 Braindumps](#)