



IBM Security Identity Manager V6.0 Implementation

# Pass IBM 000-197 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/000-197.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

Which file provides support of permanent and reboot values for tuning parameters in AIX Version 5.2?

- A. /etc/fstab/nextboot
- B. /usr/sbin/tunedefault
- C. /etc/tunables/nextboot
- D. /usr/kernal/samples/vmtune -p

Correct Answer: C

### **QUESTION 2**

Which of the following options may NOT be used to install AIX system maintenance (PTFs) in a partitioned environment?

- A. Use NIM to install the PTF images to the partition over the network.
- B. Use the \\'Software Maintenance\\' function of the HMC to install the PTFs.
- C. Allocate the CD-ROM device to the partition and install from the PTF media.
- D. Use smitty update\_all from a common NFS mount point containing the bffcreated PTF images.

Correct Answer: B

### **QUESTION 3**

When powering on a POWER4 LPAR system from the HMC, the "System Profile Mode" menu option displayed is grayed out and is not available. What is the most likely explanation?

- A. No SMP mode partition was created
- B. The System Profile option was not installed on the HMC
- C. No System Profile was created
- D. The wrong partition was selected when starting the partitioned system

Correct Answer: C

## **QUESTION 4**

A customer is interested in assigning the devices located in the front and back of the media drawer of the p670 to



multiple LPARs. What should be the suggested configuration?

- A. Media drawer front and back connected to dual ported SCSI adapter
- B. Media drawer front and back connected to single ported SCSI adapters
- C. Media drawer front and back connected to integrated SCSI adapters
- D. Media drawer front and back assigned to an empty slot in I/O drawer one

Correct Answer: B

### **QUESTION 5**

A customer running AIX 5.2 is planning to configure a partitionable system into multiple LPARs. What are the minimum requirements for defining an LPAR?

- A. 1 CPU, 256MB memory, boot disk, network adapter
- B. 1 CPU, 1GB memory, boot disk, network adapter
- C. 2 CPU, 256MB memory, SSA adapter, network adapter
- D. 2 CPU, 1GB memory, boot disk, network adapter

Correct Answer: A

000-197 VCE Dumps

000-197 Practice Test

000-197 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

# https://www.lead4pass.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.