000-221^{Q&As}

000-221^{Q&As} —

000-221[Q&As]

AIX 7 Administration

Pass IBM 000-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/000-221.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official
Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An administrator needs to update both VIO Servers in a dual VIO Server environment Prior to updating the first VIO Server, what action should be taken on the vSCSI client partitions to ensure they have access to the disk hosted from the second VIO Server?

A. Verily that the path to the disk is active using ispath.

B. The map of the VIO Server environment must be verified with ismap.

C. The secondary path must be manually redesignated as the primary using chpath.

D. A snapshot of the disk on the first VIO Server must be compared with the second using viosbr.

Correct Answer: A

QUESTION 2

An administrator wants to create a filesystem with a specific logical volume name, disk location, and disk placement. Which pair of commands will allow these attributes to be set during filesystem creation?

A. crfs followed by chvg

B. crlv followed by mkfs

C. mkfs followed by chfs

D. mklv followed by crfs

Correct Answer: D

QUESTION 3

Based on the following topas output, what is the most cause for concern?

```
Topas Monitor for host:                    EVENTS/QUEUES      FILE/TTY
Wed Mar 13 13:25:20 2013   Interval:  2    Cswitch   15319   Readch    103.3M
                                           Syscall   66002   Writech  2860.5K
CPU   User%  Kern%  Wait%  Idle%  Physc  Entc  Reads    4662   Rawin         0
ALL   84.1   15.2   0.2    0.5    8.71   435.3  Writes    468   Ttyout      427
                                           Forks      43   Igets         0
Network  KBPS   I-Pack  O-Pack  KB-In  KB-Out  Execs     43   Namei      6779
Total    54.2K  12.3K   34.9K   6505.1 47.8K   Runqueue  14.6  Dirblk        0
                                           Waitqueue  2.0
Disk    Busy%   KBPS    TPS KB-Read KB-Writ                   MEMORY
Total   36.5    85.3K  1297.0  82.4K  2942.3  PAGING         Real,MB  131072
                                           Faults   12838   % Comp     85
FileSystem       KBPS    TPS KB-Read KB-Writ  Steals    3026   % Noncomp  14
Total            106.4K  4.6K 103.5K  2.8K    PgspIn       0   % Client   14
                                           PgspOut      0
Name           PID   CPU%  PgSp Owner        PageIn   10762   PAGING SPACE
java      28377216   35.3 1365.0 root        PageOut    443   Size,MB   16384
db2sysc   63766734   19.3 137.2 jazza01      Sios     11205   % Used      8
java      22216794    8.5 998.2 root                         % Free     92
db2sysc   17301742    7.5 425.3 jazza03      NFS (calls/sec)
dsmc      65601560    4.4  22.2 root         SerV2        0   WPAR Activ
db2sysc   58392796    1.0 285.0 jazza06      CliV2        0   WPAR Tota
java      38666280    0.7 1026.2 root        SerV3        0   Press: "h
java      27459688    0.5 674.8 root         CliV3        0          "q
```

A. I/O Wait

B. Paging activity

C. CPU allocation

D. Storage write latency

Correct Answer: C

QUESTION 4

What is the purpose of using tape drive special files?

A. To specify an action during certain tape operations

B. To eject tapes at the end of a tape operation

C. To configure alternate pathing of tape devices

D. To enable the tape SCSI Device Driver for a device

Correct Answer: A

QUESTION 5

Given the NIB configuration shown below, what is the most likely reason that after a link failure for ent0, there was no automatic failover to ent2?

```
Type or select values in entry fields.
Press Enter AFTER making all desired changes.

                                                     [Entry Fields]
   EtherChannel / Link Aggregation                   ent4
   Parent Adapter                                    NONE
   EtherChannel / Link Aggregation Adapters          ent0
   Backup Adapter                                    ent2
        Automatically Recover to Main Channel        yes
        Perform Lossless Failover After Ping Failure yes
   Delete Backup Adapter
   Add Main Adapter
   Delete Main Adapter
   Add Backup Adapter
   Enable Alternate Address                          no
   Alternate Address                                 [0x000000000000]
   Enable Gigabit Ethernet Jumbo Frames              no
   Mode                                              standard
   IEEE 802.3ad Interval                             long
   Hash Mode                                         default
   Internet Address to Ping                          []
   Number of Retries                                 []
   Retry Timeout (sec)                               [1]|
   Apply change to DATABASE only                     no
```

A. Alternate Address is not set

B. No Internet Address to Ping is specified

C. Automatically Recover to Main Channel is set to yes

D. ent0 and ent2 have different media speeds specified

Correct Answer: B

000-221 PDF Dumps   000-221 Practice Test   000-221 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: