

050-696^{Q&As}

Foundations of Novell Open Enterprise Server NetWare

Pass Novell 050-696 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/050-696.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Novell
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Your OES NetWare server is experiencing problems during startup. You suspect the problem lies with a command in the AUTOEXEC.NCF file. You want to boot the server without processing the AUTOEXEC.NCF file.

Which command can be entered from the DOS prompt to start the operating system without executing AUTOEXEC.NCF?

- A. SERVER
- B. SERVER -S
- C. SERVER -NA
- D. SERVER -NS
- E. SERVER -NOAUTO

Correct Answer: C

QUESTION 2

You've configured an iPrint printer on your DA2 server, which has an IP address of 10.200.200.2. Your users now need to connect to the server through a web browser and install the printer using the default printer list generated by iPrint. Which URL should they use in their browser window to do this?

- A. <http://10.200.200.2:631/ipp>
- B. <http://10.200.200.2:631/iPrint.htm>
- C. <http://10.200.200.2/iPrintdocs/ipp>
- D. <http://10.200.200.2/ippdocs/maps.htm>

Correct Answer: A

QUESTION 3

A user has been transferred from the London office to the Sydney office. You need to relocate her user object from the LON.DA container to the SYD.DA container in your eDirectory tree. Click on the task in iManager that you would use to accomplish this.

Correct Answer: Move Object

QUESTION 4

You have configured the global server policy on your iFolder server such that user data is encrypted as it is transferred between the iFolder client and the iFolder server. You are concerned that users might disable this option and do not want it displayed in the iFolder client. Click the iFolder Management Console option you would use to do this.

Hot Area:

Item 18 of 66 Time Remaining: 1:10:47

Point and Click

Click the Point and Click button to begin.

You have configured the global server policy on your iFolder server such that user data is encrypted as it is transferred between the iFolder client and the iFolder server. You are concerned that users might disable this option and do not want it displayed in the iFolder client. Click the iFolder Management Console option you would use to do this.

Point and Click

iFolder Management Novell.

User: admin (Master LDAP)

Global Settings

- [General Info](#)
- [Global Policies](#)
- [Admin Names](#)
- [User LDAPs](#)
- [iFolder Servers](#)

Client Policies

Encryption *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden		
Save Password	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden		
Save Pass Phrase	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden		
Recover Pass Phrase *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden		
Automatic Sync	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden		
Sync To Server Delay (sec.)	<input type="text" value="5"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	Min: <input type="text" value="3"/>	Max: <input type="text" value="86400"/>
Sync From Server Interval (sec.)	<input type="text" value="20"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	Min: <input type="text" value="10"/>	Max: <input type="text" value="86400"/>
Conflict Bin Space (MB)	<input type="text" value="25"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	Min: <input type="text" value="0"/>	Max: <input type="text" value="100"/>
iFolder Location *	<input type="text" value="{My Documents}\iFolder\{User Name}\Home"/>			<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden

Click Next (or More) to continue.

Correct Answer:

Item 18 of 66 Time Remaining: 1:10:47

Point and Click

Click the Point and Click button to begin.

You have configured the global server policy on your iFolder server such that user data is encrypted as it is transferred between the iFolder client and the iFolder server. You are concerned that users might disable this option and do not want it displayed in the iFolder client. Click the iFolder Management Console option you would use to do this.

Point and Click

iFolder Management Novell.

User: admin (Master LDAP)

Global Settings

- [General Info](#)
- [Global Policies](#)
- [Admin Names](#)
- [User LDAPs](#)
- [iFolder Servers](#)

Client Policies

Encryption *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input checked="" type="checkbox"/> Hidden
Save Password	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Save Pass Phrase	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Recover Pass Phrase *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Automatic Sync	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Sync To Server Delay (sec.)	<input type="text" value="5"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="3"/>	<input type="text" value="86400"/>
Sync From Server Interval (sec.)	<input type="text" value="20"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="10"/>	<input type="text" value="86400"/>
Conflict Bin Space (MB)	<input type="text" value="25"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="0"/>	<input type="text" value="100"/>
iFolder Location *	<input type="text" value="{My Documents}\iFolder\{User Name}\Home"/>		
	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	

Click Next (or More) to continue.

Next Help

QUESTION 5

Which object right allows a trustee to remove an object from the eDirectory tree?

- A. Erase
- B. Modify
- C. Delete
- D. Rename
- E. Remove
- F. Edit

Correct Answer: C

[Latest 050-696 Dumps](#)

[050-696 Practice Test](#)

[050-696 Braindumps](#)