

050-720^{Q&As}

Certified Linux Administrator 11

Pass Novell 050-720 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/050-720.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Novell
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You wonder which installed RPM package the `/etc/exports` file belongs to. Which command will give you the desired information?

- A. `rpm -f /etc/exports`
- B. `rpm -qf /etc/exports`
- C. `rpm -ql /etc/exports`
- D. `rpm --provides /etc/exports`

Correct Answer: B

QUESTION 2

Using the `nice` command, what is the highest priority a normal user can assign to a process?

- A. -20
- B. -19
- C. 0
- D. 19
- E. 20
- F. 99

Correct Answer: C

QUESTION 3

What does the following command do? `tar -tzvf /tmp/backup.tgz etc/HOSTNAME`

- A. It extracts the `etc/HOSTNAME` file from the `/tmp/backup.tgz` archive.
- B. It includes the `etc/HOSTNAME` file in the `/tmp/backup.tgz` archive.
- C. It produces an error message because the options are in the wrong sequence.
- D. It displays a line similar to the following, but otherwise does nothing: `-rw-r--r-- root/root 23 2005- 03-11`

`14:20 etc/HOSTNAME`

Correct Answer: D

QUESTION 4

You want to delete all data on the second hard drive (/dev/hdb). Which command accomplishes this?

- A. `rm /dev/hdb`
- B. `dd if=/dev/zero of=/dev/hdb bs=100k`
- C. `dd of=/dev/zero if=/dev/hdb bs=100k`
- D. `dd if=/dev/zero of=/dev/hdb count=1 bs=1024`

Correct Answer: B

QUESTION 5

Which statement about a differential backup is correct?

- A. The use of differential backups is limited to backups on tape roboters.
- B. To restore a differential backup, you need the last differential backup only.
- C. To restore a differential backup, you need the last full backup and the last differential backup that was made since the last full backup.
- D. The amount of data that needs to be backed up with each differential backup depends only on the amount of data changed since the last differential backup.

Correct Answer: C

[050-720 VCE Dumps](#)

[050-720 Practice Test](#)

[050-720 Study Guide](#)