

## 050-733<sup>Q&As</sup>

SUSE Certified Linux Administrator 12

### Pass Novell 050-733 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/050-733.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Novell  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

You want to create the new user account tux with the password penguin (password hash: TvqBFhQWgeSho) and a default home directory. Which command can be used to create the account with the above parameters?

- A. `useradd -m -p "penguin" tux`
- B. `echo penguin | useradd -m -p - tux`
- C. `useradd -m -p "TvqBFhQWgeSho" tux`
- D. `echo -e "penguin\npenguin" | passwd tux ; useradd -m tux`

Correct Answer: C

---

## QUESTION 2

You entered the following as a boot option in the GRUB boot screen: `nit=/bin/bash` What does the option mean?

- A. The bash is used as the default shell.
- B. Linux starts without a graphical environment.
- C. The system is started directly in a bash shell. You are automatically logged in as root without being asked for a password.
- D. The system is started directly in a bash shell. You are automatically logged in as default user without being asked for a password.
- E. The system is started directly in a bash shell. You are automatically asked for the root password before you are logged in as root.
- F. The system is started directly in a bash shell. You are automatically asked for the default user's password before you are logged in.

Correct Answer: C

---

## QUESTION 3

Which range of User IDs is used for normal (unprivileged) users on SUSE Linux Enterprise Server 10?

- A. 0-100
- B. 101-499
- C. 500-999
- D. 1000 and above

Correct Answer: D

---

## QUESTION 4

You have a /tmp/data directory containing the files .file, file1, and file2. You want to copy the file1 and file2 files only to the /data-old directory that already exists. In a terminal window, which command accomplishes this?

- A. `cp /tmp/data /data-old`
- B. `cp /tmp/data/. /data-old`
- C. `cp /tmp/data/* /data-old`
- D. `cp /tmp/data/? /data-old`

Correct Answer: C

---

## QUESTION 5

In which file is the host name of a Linux computer configured? (Hint: You do not need to include the entire path.)

- A. /etc/HOSTNAME

Correct Answer: A

[050-733 VCE Dumps](#)

[050-733 Exam Questions](#)

[050-733 Braindumps](#)