

050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

User authentication:

- A. always consists of two factors.
- B. requires an RSA SecurID token.
- C. is the same as user identification.
- D. can consist of one or more factors.

Correct Answer: D

QUESTION 2

If a user has both a Fixed Passcode and an RSA SecurID token assigned,

- A. the Fixed Passcode becomes the user's PIN by default.
- B. either the Fixed Passcode or the token may be used for authentication.
- C. the Fixed Passcode can only be used if the token status is set to 'disabled'.
- D. the user must supply their secret PIN in addition to the Fixed Passcode when authenticating.

Correct Answer: B

QUESTION 3

The Identity Attribute parameter is useful for

- A. Ignoring users with duplicate user names.
- B. Storing additional information in a user record.
- C. Specifying a user's LDAP CN and account password.
- D. Allowing a user to authenticate transparently among multiple domains.

Correct Answer: B

QUESTION 4

Which statements concerning RSA SecurID time-synchronous authentication are true? (Choose two)

- A. On-demand codes have a 5-minute synchronization window.
- B. Token expiration dates are based on the date of the token's first use.
- C. Calculation of a tokencode involves the use of Universal Coordinated Time.
- D. An administrator can configure the tokencode change interval on an RSA SecurID token.
- E. Tokencode calculations are performed by both the RSA Authentication Manager instance and RSA SecurID tokens.

Correct Answer: CE

QUESTION 5

Which of the following can cause the error message "Node Secret Mismatch?" (Choose two)

- A. A user is not activated on the Agent Host.
- B. The Agent is not certified as "Secured by RSA"
- C. The Agent has been uninstalled then re-installed.
- D. The Agent is installed on an unreachable remote network node.
- E. The Node Secret file has been cleared or deleted on the Agent host.

Correct Answer: CE

[Latest
050-80-CASECURID01
Dumps](#)

[050-80-CASECURID01
VCE Dumps](#)

[050-80-CASECURID01
Exam Questions](#)