

101^{Q&As}

Application Delivery Fundamentals

Pass F5 101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Assuming there are open connections through an active system's NAT and a failover occurs, by default, what happens to those connections?

VS_Web_Pool Settings		Web_Pool Parametrs	
Destination:	10.10.20.100:80	Load Balancing:	Least Connections
Profiles:	TCP, HTTP	Priority Group Activation:	Less Than 2
iRules:	None	Monitor:	Custom_HTTP
Default Pool:	Web_Pool		
Persistence:	None		

Web_Pool Member Statistic and Settings					
Member	Member Ratio	Member Priority	Outstanding Requests	Current Connections	Status
A: 172.16.20.1:80	3	5	4	56	Unavailable
B: 172.16.20.2:80	3	4	4	42	Available
C: 172.16.20.3:80	3	5	4	54	Unavailable
D: 172.16.20.4:80	1	3	1	22	Available
E: 172.16.20.5:80	1	1	1	18	Available

- A. All open connections will be lost.
- B. All open connections will be maintained.
- C. The "Mirror" option must be chosen on the NAT and the setting synchronized prior to the connection establishment.
- D. Long-lived connections such as Telnet and FTP will be maintained while short-lived connections such as HTTP will be lost.
- E. All open connections are lost, but new connections are initiated by the newly active BIG- IP, resulting in minimal client downtime.

Correct Answer: B

QUESTION 2

Which four of the following items are physical objects used by GTM?

- A. Virtual servers
- B. Links
- C. Servers
- D. Wide IPs
- E. Data centers
- F. Pools

Correct Answer: ABCE

These components include: Data centers, Servers, Links, Virtual servers

http://support.f5.com/kb/enus/products/bigip_gtm/manuals/product/gtm_config_10_2/gtm_components_overview.html

Links

+

Wide IPs + Data centers + Pools Links

+

Wide IPs + Data centers + Virtual servers Links

+

Servers + Virtual servers + Pools the physical network, such as data centers, servers, and links, and the components that comprise the logical network, such as wide IPs, pools, and global settings. Most of the configuration components you build using the Configuration utility are saved to the wideip.conf file. Logical objects/components include: Listeners - Pools - Wide IPs - Distributed applications

QUESTION 3

What is the next hop used to send traffic to reach 192.168.1.50?

Destination	Netmask	Gateway	Interface	Metric
0.0.0.0	0.0.0.0	172.17.12.254	172.17.12.51	45
127.0.0.0	255.0.0.0	On-link	127.0.0.1	331
172.17.0.0	255.255.255.0	On-link	172.17.12.51	301
192.168.0.0	255.255.255.0	On-link	172.17.12.51	301
224.0.0.0	255.255.255.0	On-link	172.17.12.51	301

- A. 172.17.12.51
- B. 192.168.150

C. 172. 17. 12.254

D. 172. 17. 12/ 255

Correct Answer: C

QUESTION 4

Which facility logs messages concerning GTM System parameters?

A. local0

B. local1

C. local2

D. local3

Correct Answer: C

QUESTION 5

in which scenario is a full proxy required?

A. When a separation between client and server connection .s needed

B. When administration directly access the servers for administration

C. when the server sends the response through lho load balancer

D. when all TCP client parameters must be seen by the server

Correct Answer: A

Reference [https //devcentral.f5.com/articles/three-things-your-proxy-cart-do-unless-its-a-full-proxy](https://devcentral.f5.com/articles/three-things-your-proxy-cart-do-unless-its-a-full-proxy)

[101 Practice Test](#)

[101 Exam Questions](#)

[101 Braindumps](#)