

117-201^{Q&As}

Linux Advanced Administration

Pass home 117-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/117-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0 /dev/hda2 / ext2 defaults 1 1 /dev/hda3 /home ext2 defaults 1 2 none /proc proc
defaults 0 0 /dev/fd0 /media/floppy vfat user,noauto 0 0
```

What command can an ordinary (non-root) user use to mount a floppy disk in this system? (Please enter the command with all parameters and/or options)

Correct Answer: `mount fdevffd0`

QUESTION 2

The server has two network cards. The driver for the first card is the module 8139too and the driver for the second card is the module ne2k-pci. How is it possible to ensure that the card using the 8139too driver is detected before the card using the ne2k-pci driver?

- A. `modprobe 8139too dev=eth0; modprobe ne2k-pci dev=eth1`
- B. `install mod 8139too; install mod ne2k-pci`
- C. `modprobe eth0=8139too, eth1=ne2k-pci`
- D. `ifconfig modadd eth0=8139too, eth1=ne2k-pci`
- E. `modprobe 8139too; modprobe ne2k-pci`

Correct Answer: A

QUESTION 3

To restore the kernel source to the previous, unpatched, version, which of the following commands could be used?

- A. `patch--restore`
- B. `patch --remove`
- C. `patch -U`
- D. `patch--undo`
- E. `patch -R`

Correct Answer: E

QUESTION 4

The Linux kernel is loaded successfully by the boot loader. However, straight after the kernel mounts the root filesystem, the boot process stops and an error message regarding init is shown. Which of the following actions is the best one to be used in order to identify and fix the problem?

- A. The administrator reboots the system with a recovery disk and checks the root file system for errors with fsck.
- B. The administrator reboots the system with a recovery disk and restores from a backup.
- C. The administrator reboots the system and tells the kernel, through the boot loader prompt, to use /bin/ bash as the initial process.
- D. The administrator reboots the system with a recovery disk and installs a new kernel.
- E. The administrator reboots the system and tells init, through the boot loader prompt, to use a different runlevel.

Correct Answer: C

QUESTION 5

Which of these commands allows you to use shared libraries that are in /usr/local/lib?

- A. export LD_PRELOAD=/usr/local/lib
- B. exportLD_LIBRARY_PATH=/usr/local/lib
- C. ldconfig /usr/local/lib
- D. ldd /usr/local/lib

Correct Answer: C

[117-201 PDF Dumps](#)

[117-201 VCE Dumps](#)

[117-201 Practice Test](#)