

117-300^{Q&As}

LPI Level 3 Exam 300, Senior Level Linux Certification, Mixed Environment

Pass Lpi 117-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/117-300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What following statement is true about Samba 4?

- A. Samba 4 can serve as an Active Directory Domain Controller.
- B. Microsoft Windows clients cannot connect to Samba 4 servers.
- C. Samba 4 is only a minor update of Samba 3 to fix smaller bugs and contains no new features.
- D. Integration of Samba 4 in an existing Active Directory Domain is not possible.

Correct Answer: A

QUESTION 2

After adding a remote CIFS share to `/etc/fstab`, the share is mounted to the correct place in the file system. There, all files belong to the user and group root and are not read- or writable to any other users in the system. What should be done in order to permit a distinct local user access to the mounted files?

- A. The option `root squash = yes` should be added to the share in the Samba servers `smb.conf` to allow full access by the client.
- B. The `mount.cifs` options `uid`, `gid`, `file_mode` and `dir_mode` should be used to specify the ownership and permissions of the mount.
- C. The user should be added to the local user group `smbusers` as `mount.cifs` by default restricts access to all CIFS mounts to members of this group in addition to the root account.
- D. The `mount.cifs` command must always be executed by the user who should use the mount afterwards. The user should be granted the required permission in `/etc/sudoers`.

Correct Answer: B

QUESTION 3

How can the risk of UID/GID inconsistencies be avoided across UNIX/Linux systems that are sharing information over protocols other than SMB/CIFS (eg: NFS)?

- A. Specify a common OpenLDAP idmap backend in `smb.conf`.
- B. Specify a common Kerberos realm in `smb.conf`.
- C. Specify a common domain name in `smb.conf`.
- D. Specify a common password server in `smb.conf`.
- E. Specify a common winbind ID range in `smb.conf`.

Correct Answer: A

QUESTION 4

Which of the following values are valid for the Samba 4 configuration directive server role? (Choose THREE correct answers.)

- A. LEGACY DOMAIN MASTER BROWSER
- B. NETBIOS BACKUP DOMAIN CONTROLLER
- C. ACTIVE DIRECTORY DOMAIN CONTROLLER
- D. ANCIENT WINS PROXY SERVER
- E. CLASSIC PRIMARY DOMAIN CONTROLLER

Correct Answer: BCE

QUESTION 5

On Microsoft Windows systems, ACLs on the share are set using tools like the Explorer. For example, in Windows 7, right-click on the shared folder, then select Sharing, then click on Permissions. What Windows group, by default, has full control of the share?

- A. Everyone
- B. Guests
- C. Authenticated Local Users
- D. Samba Share Service

Correct Answer: A

[117-300 PDF Dumps](#)

[117-300 Study Guide](#)

[117-300 Exam Questions](#)