

# 132-S-900.7<sup>Q&As</sup>

Avaya IP Telephony Design Elective Exam

**Pass Avaya 132-S-900.7 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/132-s-900-7.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer has an Avaya S87xx Media Server with an Avaya G650 Media Gateway. They want the remote site tied-in to the main. The remote site has a DSL line for Internet access. They currently have a secure VPN tunnel to the main site and want to implement VoIP over this tunnel.

What is your biggest concern as a designer?

- A. NAT issues
- B. Implementation issues
- C. Security cannot be guaranteed
- D. Voice quality cannot be guaranteed

Correct Answer: D

---

**QUESTION 2**

Which two Avaya servers provide LSP functionality with Communication Manager 5.0? (Choose two.)

- A. S8300
- B. S8400
- C. S8500
- D. S8730

Correct Answer: AC

---

**QUESTION 3**

Avaya recommends using DHCP to configure IP telephones and uses special configuration options in Option 176. Which three are included in the string value of Option 176? (Choose three.)

- A. CLAN port 1719
- B. CLAN IP address
- C. Scope for IP addresses
- D. TFTP server IP address

Correct Answer: ABD

---

## QUESTION 4

What server pair combinations best meet full redundancy against Cisco? (Choose two.)

- A. S8300LSP or S8500LSP
- B. S8300 or S8500
- C. S8500 or S8400
- D. S8400 or S87xx

Correct Answer: AB

---

## QUESTION 5

A customer has two sites connected over a 512k serial WAN link. There are 40 employees at the main site and 20 employees at the remote site. Since the server bank and all trunks terminate at the main location, the customer has concerns about the bandwidth over the WAN link. They request a network assessment. Which two design considerations are pertinent to the bandwidth on the WAN link? (Choose two.)

- A. VLAN capable Ethernet switch
- B. telecommuters using IP Softphone to access network resources
- C. number of voice calls going through the WAN link during peak time
- D. graphic-based programs used on the network between the two sites

Correct Answer: CD

[132-S-900.7 Study Guide](#)

[132-S-900.7 Exam Questions](#)

[132-S-900.7 Braindumps](#)