

132-S-900.7^{Q&As}

Avaya IP Telephony Design Elective Exam

Pass Avaya 132-S-900.7 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/132-s-900-7.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the maximum number of TN2602 IP Media Resource circuit packs allowed in a port network?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B

QUESTION 2

During the solution design process, the client should provide you with information on factors that may affect voice quality over their WAN. These existing WAN factors need to be considered when implementing a new IP Telephony application. What information should you request from the client? (Choose three.)

- A. serialization delay
- B. WAN routing protocol
- C. available WAN bandwidth
- D. available IP to IP endpoint LAN bandwidth

Correct Answer: ABC

QUESTION 3

A client is implementing an S87xx Media Server with several G650 Media Gateways. They are concerned with overheating in the equipment room, especially in the equipment power units. Which two conditions cause a G650 power supply to initiate an emergency shutdown? (Choose two.)

- A. overvoltage
- B. overheating
- C. undervoltage
- D. high humidity

Correct Answer: AB

QUESTION 4

Your client's department store business has 24 locations worldwide. Each location has its own communications switch

and is included in a QSIG network. The stores have standardized on specific extension numbers representing departments. The client is considering moving to a single, distributed S8700 system but is concerned with the loss of dial plan functionalities. How do you address the client's concern?

- A. provide Uniform Dial Plan software
- B. utilize ACM Multi-location Dial Plan software
- C. create unique extensions per location for each application
- D. relate that standard S87xx dial plan software will address the issues

Correct Answer: B

QUESTION 5

A customer wants to use an Avaya S87xx Media Server with Avaya G700 Gateways at remote locations. Each G700 Gateway will include an S8300 Local Survivable Processor and approximately 75 IP sets incorporating G.711. What Avaya feature allows IP sets to register with the S8300 if connectivity to the S87xx is lost?

- A. Local CLAN board
- B. Alternate Gatekeeper
- C. S8300 Auto-Registration
- D. Gateway Alternate Redirection

Correct Answer: B

[132-S-900.7 PDF Dumps](#)

[132-S-900.7 Study Guide](#)

[132-S-900.7 Exam Questions](#)