

## 156-215.77<sup>Q&As</sup>

**Check Point Certified Security Administrator** 

# Pass CheckPoint 156-215.77 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/156-215-77.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Match the terms with their definitions: Exhibit:

Term	Definition
A. VPN Community	Traffic routed to VPN tunnel based on route table entries
B. VPN Domain	2. Hosts behind the Gateway
C. Domain based VPN	3. Collection of VPN tunnels
D. Route based VPN	4. Traffic routed to VPN tunnel based on object definitions

A. A-3, B-2, C-4, D-1

B. A-2, B-3, C-4, D-1

C. A-3, B-2, C-1, D-4

D. A-3, B-4, C-1, D-2

Correct Answer: A

#### **QUESTION 2**

Static NAT connections, by default, translate on which firewall kernel inspection point?

A. Inbound

B. Outbound

C. Post-inbound

D. Eitherbound

Correct Answer: A

#### **QUESTION 3**

After implementing Static Address Translation to allow Internet traffic to an internal Web Server on your DMZ, you notice that any NATed connections to that machine are being dropped by anti-spoofing protections. Which of the following is the MOST LIKELY cause?

A. The Global Properties setting Translate destination on client side is unchecked. But the topology on the DMZ interface is set to Internal - Network defined by IP and Mask. Check the Global Properties setting Translate destination on client side.

B. The Global Properties setting Translate destination on client side is unchecked. But the topology on the external interface is set to Others +. Change topology to External.

### Leads4Pass

#### https://www.leads4pass.com/156-215-77.html

2024 Latest leads4pass 156-215.77 PDF and VCE dumps Download

- C. The Global Properties setting Translate destination on client side is checked. But the topology on the external interface is set to External. Change topology to Others +.
- D. The Global Properties setting Translate destination on client side is checked. But the topology on the DMZ interface is set to Internal - Network defined by IP and Mask. Uncheck the Global Properties setting Translate destination on client side.

Correct Answer: A

#### **QUESTION 4**

Which of the following R77 SmartView Tracker views will display a popup warning about performance implications on the Security Gateway?

- A. All Records Query
- B. Account Query
- C. Active Tab
- D. Audit Tab

Correct Answer: C

#### **QUESTION 5**

After filtering a fw monitor trace by port and IP, a packet is displayed three times; in the i, I, and o inspection points, but not in the O inspection point. Which is the likely source of the issue?

- A. The packet has been sent out through a VPN tunnel unencrypted.
- B. An IPSO ACL has blocked the packet\\'s outbound passage.
- C. A SmartDefense module has blocked the packet.
- D. It is due to NAT.

Correct Answer: D

<u>156-215.77 PDF Dumps</u>

<u>156-215.77 Practice Test</u> <u>156-215.77 Exam Questions</u>