

156-315.77^{Q&As}

Check Point Certified Security Expert

Pass CheckPoint 156-315.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/156-315-77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You want to upgrade a cluster with two members to R76. The Security Management Server and both members are version NGX R65, with the latest Hotfix Accumulator. What is the correct upgrade procedure?

1.
Change the version in the General Properties of the Gateway-cluster object.
 2.
Upgrade the Security Management Server, and reboot.
 3.
Run cpstop on one member, while leaving the other member running. Upgrade one member at a time and reboot after upgrade.
 4.
Reinstall the Security Policy.
- A. 3,2,1,4
B. 2,4,3,1
C. 1,3,2,4
D. 2,3,1,4

Correct Answer: D

QUESTION 2

What is a requirement for setting up R76 Management High Availability?

- A. All Security Management Servers must have the same number of NICs.
- B. All Security Management Servers must have the same operating system.
- C. State synchronization must be enabled on the secondary Security Management Server.
- D. All Security Management Servers must reside in the same LAN.

Correct Answer: B

QUESTION 3

How do you run "CPSIZEME" on SPLAT?

- A. [expert@HostName]#>./cpsizeme -h

B. [expert@HostName]# ./cpsizeme -R

C. This is not possible on SPLAT

D. [expert@HostName]# ./cpsizeme

Correct Answer: D

QUESTION 4

All of the following are used by the DLP engine to match a message during a scan, EXCEPT:

A. Message Body

B. Protocol

C. Data Type

D. Destination

Correct Answer: A

QUESTION 5

The We-Make-Widgets company has purchased twenty UTM-1 Edge appliances for their remote offices. Kim decides the best way to manage those appliances is to use Smart Provisioning and create a profile they can all use. List the order of steps Kim would go through to add the Dallas Edge appliance to the Remote Office profile using the output below.

1.

Enter the name of the profile called "Remote Offices"

2.

Change the provisioning profile to "Remote Offices"

3.

Click File, then select New, then Provisioning Profile

4.

Click on the Devices Tab

5.

Highlight the Dallas Edge appliance, click Edit, then edit Gateway

6.

Click on the Profiles Tab

A. 6, 3, 1, 4, 5, 2

B. 4, 1, 3, 6, 5, 2

C. 6, 1, 3, 4, 5, 2

D. 4, 3, 1, 6, 5, 2

Correct Answer: A

[156-315.77 PDF Dumps](#)

[156-315.77 Practice Test](#)

[156-315.77 Study Guide](#)