

1D0-541^{Q&As}

CIW V5 Database Design Specialist

Pass CIW 1D0-541 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1d0-541.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Consider the entity-relation (ER) diagram shown in the exhibit. When the logical database design phase is completed, which of the following is a valid DDL description of the base relations for the ER diagram?



- A. STUDENT(Student_Number: integer NOT NULL Name: variable length character string length 20 NOT NULL) Primary Key Student_Number CLASS(Class_Num: integer NOT NULL Class_Name: integer NOT NULL) Primary Key Class_Num
- B. STUDENT(Student_Number: integer NOT NULL Name: variable length character string length 20 NOT NULL) Primary Key Student_Number CLASS(Class_Num: integer NOT NULL Class_Name: integer NOT NULL) Primary Key Class_Num Foreign Key Class_Num References STUDENT
- C. STUDENT(Student_Number: integer NOT NULL Name: variable length character string length 20 NOT NULL) Primary Key Student_Number STU_CLASS(Student_Number: integer NOT NULL Class_Num: integer NOT NULL) Primary Key Student_Number CLASS(Class_Num: integer NOT NULL Class_Name: integer NOT NULL) Primary Key Class_Num
- D. STUDENT(Student_Number: integer NOT NULL Name: variable length character string length 20 NOT NULL) Primary Key Student_Number STU_CLASS(Student_Number: integer NOT NULL Class_Num: integer NOT NULL) Primary Key Student_Number CLASS(Class_Num: integer NOT NULL Class_Name: integer NOT NULL) Primary Key Class_Num

Correct Answer: D

QUESTION 2

Which concurrency control method should be used only when conflicts between transactions rarely occur?

- A. Locking
- B. Time stamps
- C. Optimistic
- D. Serialization

Correct Answer: C

QUESTION 3

Consider the following relations shown in the exhibit. Which of the following SQL statements would return the

Customers2 relation from the Customers relation?

Cust_No	Cust_Name	Satisfaction_Rate	Sales_Office	Sales_Rep_No
1011	MicroWidget	75	Atlanta	1350
1012	MacroWidget	90	New York	7403
1013	Xyz Corp	78	Los Angeles	2457
1014	DayCo	95	Atlanta	1350
1015	DigiTech	85	Chicago	3303
1016	DataTech	92	Los Angeles	2457
1017	UniSort	81	New York	7403

Customers Relation

1015	DigiTech	85	Chicago	3303
1017	UniSort	81	New York	7403

Customers2 Relation

- A. SELECT * FROM Customers WHERE Satisfaction_Rate = 90;
- B. SELECT * FROM Customers WHERE Satisfaction_Rate IN (80 AND 90);
- C. SELECT * FROM Customers WHERE Satisfaction_Rate >= 80 AND Satisfaction_Rate