

1V0-41.20^{Q&As}

Associate VMware Network Virtualization Dumps

Pass VMware 1V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

How does virtual networking enable business to reduce time-to-market?

- A. By performing automatic hardware upgrades
- B. By increasing traffic bandwidth
- C. By removing physical network devices
- D. By providing network services on demand

Correct Answer: D

Reference: <https://www.vmware.com/radius/virtual-cloud-networking-10-things/>

QUESTION 2

What is one way to access the NSX Manager?

- A. vSphere Client with a supported browser
- B. NSX UI with a supported browser
- C. NSX Manager via Telnet
- D. NSX Manager through a dedicated fat client

Correct Answer: B

Reference: <https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.admin.doc/GUID-CE5C4FD1-CFA7-49F3-B170-BC08CC15A9FB.html>

QUESTION 3

Which plane is responsible for creating and deleting network objects in the NSX-T Data Center Architecture?

- A. Control Plane
- B. Data Plane
- C. Life Cycle Plane
- D. Management Plane

Correct Answer: D

QUESTION 4

Given this exhibit:

Name	ID	Sources	Destinations	Services	Profiles	Applied to	Action
Category: LOCAL GATEWAY							
Block SSH Traffic (1)		Any	App-Servers DB-Servers Web-Servers	SSH	None	TO-GW-01	Drop

Which statement is true about the firewall rule?

- A. It is a distributed firewall applied to App-Servers, DB-Servers and Web-Servers that rejects traffic on port 22.
- B. It is a gateway firewall applied to a Tier-1 gateway that rejects traffic on port 22.
- C. It is a distributed firewall applied to App-Servers, DB-Servers and Web-Servers that drops traffic on port 22.
- D. It is a gateway firewall applied to a Tier-0 gateway that drops traffic on port 22.

Correct Answer: C

QUESTION 5

Which component needs to be available for the ESXi hosts to be able to enable vSphere High Availability?

- A. 10Gbps network interfaces
- B. Direct attached disks
- C. Shared data storage
- D. Dual CPU sockets

Correct Answer: C

Reference: <https://www.vladan.fr/how-to-configure-vmware-high-availability-ha-cluster/>

[Latest 1V0-41.20 Dumps](#)

[1V0-41.20 PDF Dumps](#)

[1V0-41.20 Practice Test](#)