

1Y0-230^{Q&As}

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Junior Citrix Administrator needs to create a Content Switching virtual server on a NetScaler high availability (HA) pair. The NSIP addresses are 192.168.20.10 and 192168.20.11. The junior administrator connects to NSIP address 192.168.20.10 and saves the changes. The following day, a Senior Citrix Administrator tries to test the new Content Switching virtual server, but it is NOT working. The senior administrator connects to the HA pair and everything the junior administrator configured is gone. Why did the NetScalers lose the newly added configurations?

- A. The NetScaler appliances are NOT at the same firmware version
- B. The junior administrator connected to the NSIP of the secondary NetScaler in the HA pair
- C. Both NetScalers in the HA pair restarted overnight, losing the configuration
- D. The junior administrator made the changes and did NOT force a failover to save the configuration

Correct Answer: C

QUESTION 2

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does not belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Process the packets
- C. Bridge the packets.
- D. Route the packets.

Correct Answer: D

Reference: <https://docs.citrix.com/en-us/netscaler/12/getting-started-with-netscaler/where-netscaler-innetwork.html>

QUESTION 3

Which NetScaler Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns acl
- B. add ns simpleacl
- C. add ns acl6
- D. add ns simpleacl6

Correct Answer: D

QUESTION 4

Which two options would provide an end-to-end encryption data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. HTTP protocol for the virtual server
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. SSL protocol for the virtual server
- E. SSL protocol for the services
- F. SSL Bridge protocol for the services

Correct Answer: AB

QUESTION 5

Scenario: A Citrix ADC Appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Generate Support File
- B. Batch Configuration
- C. Start New Trace
- D. Get Back Trace

Correct Answer: A

Reference: <https://support.citrix.com/article/CTX127900>

[Latest 1Y0-230 Dumps](#)

[1Y0-230 VCE Dumps](#)

[1Y0-230 Practice Test](#)