

1Y0-230^{Q&As}

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: A NetScaler has two interfaces as 1/1 and 1/2 with MAC-based Forwarding enabled. Below are the specifications:

-Interface 1/1 and IP 192.168.10.10 is bound to VLAN 10.

-On Interface 1/2 VLAN 20 and VLAN 30 are tagged.

-VLAN 20 is bound to IP 192.168.20.10 and VLAN 30 is bound to 192.168.30.10

The NetScaler receives a packet for VIP 192.168.30.30 on interface 1/1.

Which interface of NetScaler will send a reply back in this environment?

- A. Interface 1/1
- B. NetScaler will drop the packet received on interface 1/1
- C. Interface 1/2
- D. Netscaler will reply on interfaces 1/1 and 1/2

Correct Answer: D

QUESTION 2

Which option is needed to configure the Citrix Gateway to provide users with multiple logon options after successful authentication, if the users are connected through clientless access?

- A. Client choices without using Endpoint Analysis
- B. Configuration of Endpoint Analysis
- C. Configuration of Quarantine Group
- D. Client choices options with mandatory Endpoint Analysis

Correct Answer: D

QUESTION 3

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Secondary Citrix ADC.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.

C. Disable HA Fail-safe mode on the Primary Citrix ADC only.

D. Configure HA Fail-safe mode on the Primary Citrix ADC only.

Correct Answer: D

Reference: <http://www.citrixguru.com/2015/09/14/lab-part-6-configure-netscaler-11-high-availability-hapair/>

QUESTION 4

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

-Read-only access -The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

A. Network

B. Operator

C. Sysadmin

D. Read-Only

Correct Answer: B

Reference: <https://docs.citrix.com/en-us/netscaler/10-1/ns-system-wrapper-10-con/ns-ag-aa-intro-wrappercon/ns-ag-aa-config-users-and-grps-tsk.html>

QUESTION 5

Scenario: A Citrix Administrator is running applications on thousands of load-balanced back-end servers in a large infrastructure. It is difficult to track and troubleshoot problems due to the large volume of traffic received.

Which feature of NetScaler Management and Analytics System (MAS) can the administrator configure to monitor and troubleshoot in detail for an environment of this size?

A. AppFlow Analytics

B. Application Security Analytics

C. Application Performance Analytics

D. Advanced Analytics with Telemetry Node installed

Correct Answer: D