

1Y0-230^{Q&As}

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix ADC MPX appliance has become unresponsive while using the GUI. A Citrix Administrator needs to restart the appliance and force a core dump for analysis.

What can the administrator do to accomplish this?

- A. Use the NMI button on the back of the appliance.
- B. Connect to the USB port to issue a restart command.
- C. Use the reset button on the front of the appliance.
- D. Turn off the appliance using the power button.

Correct Answer: A

QUESTION 2

How can a Citrix Administrator provide two-factor authentication with tokens in a XenDesktop with NetScaler Gateway environment?

- A. Create a SAML IDP policy and bind it to the existing virtual server.
- B. Configure a TACACS authentication policy and bind it to the existing virtual server.
- C. Configure a RADIUS authentication policy and bind it to the existing virtual server.
- D. Create an authorization policy and bind it to the existing virtual server.

Correct Answer: C

QUESTION 3

Scenario: A Citrix Administrator was notified that all contractor user IDs will start with the prefix "con." Currently SmartControl is used to restrict access to peripherals.

Which expression can the administrator use to accomplish this requirement?

- A. HTTP.REQ.USERNAME.CONTAINS("con").NOT
- B. HTTP.REQ.USER.IS_MEMBER_OF("con").NOT
- C. HTTP.REQ.USER. IS_MEMBER-OF ("con")
- D. HTTP.REQ.USERNAME.CONTAINS ("con")

Correct Answer: C

Reference <https://support.citrix.com/article/CTX200261>

QUESTION 4

Scenario: A Citrix Administrator needs to configure a group in which Contractors will have limited access to internal resources over the SSL VPN. The Contractors group should be able to access all internal IP Addresses but should NOT be able to open SSH connections to any internal resource.

Which expression should the administrator use to satisfy this scenario?

- A. REQ.IP.DESTIP = = 192.168.30.0 –netmask 255.255.255.0andand(REQ.TCP.DESTPORT = = 22) Action set to Allow
- B. REQ.IP.DESTIP = = 192.168.30.0 –netmask 255.255.255.0andand(REQ.TCP.DESTPORT = = 22) Action set to Deny
- C. REQ.IP.DESTIP = = 192.168.30.0 –netmask 255.255.255.0andand(REQ.TCP.DESTPORT = = 80 || REQ.TCP.DESTPORT = = 443)
- D. REQ.IP.DESTIP = = 192.168.30.0 –netmask 255.255.255.0 || (REQ.TCP.DESTPORT = = 22)

Correct Answer: D

QUESTION 5

Scenario: A Citrix Administrator needs to build policies that control the selection of XenApp applications to which a user has access. The administrator would like for the policy decisions to be made by leveraging the HDX settings.

Which type of policy would enable this requirement?

- A. Traffic
- B. SmartControl
- C. Authorization
- D. SmartAccess

Correct Answer: D

Reference: <https://docs.citrix.com/en-us/xenmobile/server/apps/smart-access-to-hdx-apps.html>