

1Y0-240^{Q&As}

Citrix NetScaler Essentials and Traffic Management

Pass Citrix 1Y0-240 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-240.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Error Code
- B. Add
- C. Forward
- D. Corrupt

Correct Answer: D

QUESTION 2

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of _____ to the services attached to the _____ servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 50; old
- C. 2; new
- D. 2; old

Correct Answer: C

QUESTION 3

A Citrix Administrator needs to configure the Lights Out Management (LOM) port. Which statement is applicable to LOM?

- A. LOM is accessed using Command-Line Interface (CLI).
- B. LOM IP address should be in the same subnet as NSIP.
- C. LOM firmware is included in the NetScaler upgrade package.
- D. LOM port can be used to remotely monitor and manage the appliance.

Correct Answer: A

QUESTION 4

Which two options would provide an end-to-end encryption of data, while allowing the NetScaler to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. HTTP protocol for the virtual server
- C. HTTP protocol for the services
- D. SSL protocol for the services
- E. SSL Bridge protocol for the virtual server
- F. SSL protocol for the virtual server

Correct Answer: CF

QUESTION 5

Scenario: A NetScaler appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the NetScaler.

Which technical support tool can the administrator use to gather all the information on the NetScaler to send to the Support Engineer?

- A. Batch Configuration
- B. Start New Trace
- C. Get Back Trace
- D. Generate Support File

Correct Answer: D

[1Y0-240 VCE Dumps](#)

[1Y0-240 Practice Test](#)

[1Y0-240 Exam Questions](#)