

1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Administrator would like to delegate administration of the Citrix NetScaler to a Microsoft Active Directory group called ICitrix-NetScaler-Adminsl. The group already exists in Active Directory. The Citrix- NetScaler-Admins group must have full-control permission on the Citrix NetScaler to perform their tasks. The administrator has successfully configured an LDAP authentication server and authentication policy. The authentication policy is already globally bound. How should the administrator proceed on the Citrix NetScaler?

- A. Create an AAA User called Citrix-NetScaler-Admins and select IExternal Authenticationl.
- B. Create a group called Citrix-NetScaler-Admins. Make the group a member of the operator command policy.
- C. Create a group called Citrix-NetScaler-Admins. Make the group a member of the superuser command policy.
- D. Create an AAA group called Citrix-NetScaler-Admins. Create an ALLOW authorization policy and bind it to the Citrix-NetScaler-Admins AAA Group.

Correct Answer: C

QUESTION 2

Scenario: Two Citrix NetScaler appliances are being used in an environment to load balance a high volume web service. These two appliances are nearing their capacity limits. A Citrix Administrator is instructed to add a new appliance to the NetScaler deployment in order to accommodate increasing web traffic. Which type of Citrix NetScaler redundancy configuration should be implemented?

- A. LACP
- B. vRRP
- C. Clustering
- D. High availability

Correct Answer: C

QUESTION 3

Scenario: An administrator is planning to implement NetScaler Gateway. The administrator must ensure that users are able to change their passwords when the passwords have expired.

To meet the needs of the scenario, the administrator must ensure that is included in the plan.

- A. LDAP authentication
- B. RADIUS authentication
- C. nested groups (enabled)

D. the nsroot username added to Active Directory

Correct Answer: A

QUESTION 4

A Citrix Administrator needs to validate the session policies that are put in place to differentiate mobile devices from PCs.

Which command, when run from a shell, will allow real time reading of the logs for this specific purpose?

- A. nsconmsg -d current -g pol hits
- B. nsconmsg -K jvarjnslogjnewslog -d
- C. nsconmsg -d current | grep -i rewrite
- D. nsconmsg -d current | grep -i responder

Correct Answer: A

QUESTION 5

Which command-line interface command could an administrator use to display communication between the LDAP server and the NetScaler system?

- A. cat jetcjkrb5.conf
- B. cat jetcjkrb5.keytab
- C. cat jtmpjaaad.debug
- D. cat jvarjlogjaaad.debug
- E. tail -f jvarjlogjaaad.debug

Correct Answer: C

[1Y0-253 Practice Test](#)

[1Y0-253 Study Guide](#)

[1Y0-253 Braindumps](#)