

1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Architect needs to assess an existing NetScaler Gateway deployment. During the assessment, the architect collected key requirements for VPN users, as well as the current session profile settings that are applied to those users.

Click the Exhibit button to view the information collected by the architect.

Requirements			
<ul style="list-style-type: none"> • Users should use the NetScaler Gateway plugin to authenticate and connect to internal resources, including intranet web pages and StoreFront. • After authenticating users should be directed to the organization's intranet portal. • Once connected, outbound traffic from the client device should only pass through the NetScaler Gateway if it is directed toward an intranet resource. 			
Configurations			
Name	Type	Setting	Configuration
Item 1	Network Configuration	Home Page	home.workspacelabs.net
Item 2	Client Experience	Split Tunnel	ON
Item 3	Client Experience	Clientless Access	ON
Item 4	Client Experience	Client Choices	Not enabled
Item 5	Published Applications	ICA Proxy	OFF

Which configurations should the architect change to meet all the stated requirements?

- A. Item 4
- B. Item 3
- C. Item 5
- D. Item 2
- E. Item 1

Correct Answer: E

QUESTION 2

Which parameter indicates the number of current users logged on to the NetScaler gateway?

- A. ICA connections
- B. Total Connected Users

- C. Active user session
- D. Maximum User session

Correct Answer: C

QUESTION 3

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.

Topic	Requirements
Connections that should receive full VPN access	<ul style="list-style-type: none">• User should be a member of the "Executives" group.• Connections should be using the NetScaler Gateway Plugin.• Connections can come from any IP address source.

To meet the customer requirements, the architect should deploy the RDP proxy through _____, using a _____ solution. (Choose the correct option to complete the sentence.)

- A. ICAProxy, stateless gateway
- B. CVPN; single gateway
- C. CVPN; stateless gateway
- D. ICAProxy; single gateway

Correct Answer: B

QUESTION 4

Scenario: A Citrix Architect and a team of Workspacelab members have met for a design discussion about the NetScaler Design Project. They captured the following requirements:

1.
Two pairs of NetScaler MPX appliances will be deployed in the DMZ network and the internal network.
2.
High availability will be accessible between the pair of NetScaler MPX appliances in the DMZ network.
- 3.

Multi-factor authentication must be configured for the NetScaler Gateway virtual server.

4.

The NetScaler Gateway virtual server is integrated with XenApp/XenDesktop environment.

5.

Load balancing must be deployed for the users from the workspacelab.com and vendorlab.com domains.

6.

The logon page must show the workspacelab logo.

7.

Certificate verification must be performed to identify and extract the username.

8.

The client certificate must have UserPrincipalName as a subject.

9.

All the managed workstations for the workspace users must have a client identifications certificate installed on it.

10.The workspacelab users connecting from a managed workstation with a client certificate on it should be

authenticated using LDAP. 11.The workspacelab users connecting from a workstation without a client

certificate should be authenticated using LDAP and RADIUS.

12.The vendorlab users should be authenticated using Active Directory Federation Service.

13.The user credentials must NOT be shared between workspacelab and vendorlab.

14.Single Sign-on must be performed between StoreFront and NetScaler Gateway.

15.A domain drop down list must be provided if the user connects to the NetScaler Gateway virtual server externally.

16.The domain of the user connecting externally must be identified using the domain selected from the domain drop down list.

On performing the deployment, the architect observes that users are always prompted with two-factor authentication when trying to assess externally from an unmanaged workstation.

Click the exhibit button to view the configuration.

```
> show authentication vserver aaa_dmz_001
  aaa_dmz_001 (192.168.30.131:443) - SSL Type: CONTENT
  State: UP
  Client Idle Timeout: 180 sec
  Down state flush: DISABLED
  Disable Primary Vserver On Down : DISABLED
  Network profile name: ???
  Appflow logging: ENABLED
  Authentication : ON
  Device Certificate Check: ???
  Device Certificate CA List: ???
  CGInfra Homepage Redirect : ???
  Current AAA Sessions: 0
  Total Connected Users: 0
  Dtls : ???      L2Conn: ???
  RDP Server Profile Name: ???
  Max Login Attempts: 0      Failed Login Timeout 0
  Fully qualified domain name: ???
  PCoIP VServer Profile name: ???
  Listen Policy: NONE
  Listen Priority: 0
  IcmpResponse: ???
  RHlstate: ???
  Traffic Domain: 0

1)  LoginSchema Policy Name: LDAP_RADIUS      Priority: 100
    GotoPriority Expression: END

1)  Advanced Authentication Policy Name: cert-upn  Priority: 100
    GotoPriority Expression: NEXT
    NextFactor name: OnlyLDAP

2)  Advanced Authentication Policy Name: No_AUTH  Priority: 110
    GotoPriority Expression: NEXT
    NextFactor name: ldap-radius

3)  Advanced Authentication Policy Name: saml-upn  Priority: 120
    GotoPriority Expressions: NEXT

Done
```

What should the architect do to correct this configuration?

A. Unbind LoginSchema Policy LDAP_RADIUS from the virtual server.

- B. Bind the Portal theme as Domaindropdown.
- C. Bind the LoginSchema Policy Domaindropdown to priority 90.
- D. Bind the Default LoginSchema Policy as Domaindropdown.

Correct Answer: D

QUESTION 5

Scenario: A Citrix Architect needs to design a hybrid XenApp and XenApp and XenDesktop environment which will include Citrix Cloud as well as resource locations in on-premises datacenter and Microsoft Azure.

Organizational details and requirements are as follows:

1.

Active XenApp and XenDesktop Service subscription

2.

No existing NetScaler deployment

3.

About 3,000 remote users are expected to regularly access the environment

4.

Multi-factor authentication should be used for all external connections


5.

Solution must provide load balancing for backend application servers

6.

Load-balancing services must be in Location B

Click the Exhibit button to view the conceptual environment architecture.



The architect should use _____ in Location A, and should use _____ in Location B. (Choose the correct option to complete the sentence.)

- A. NetScaler Gateway as a Service, no NetScaler products
- B. No NetScaler products, NetScaler ADC (BYO)
- C. NetScaler Gateway as a Service, NetScaler ADC (BYO)
- D. No NetScaler products, NetScaler ICA Proxy (cloud-licensed)
- E. NetScaler Gateway as a Service, NetScaler ICA Proxy (cloud-licensed)
- F. No NetScaler products; NetScaler Gateway appliance

Correct Answer: C

[Latest 1Y0-440 Dumps](#)

[1Y0-440 PDF Dumps](#)

[1Y0-440 Exam Questions](#)