

1Y0-A26^{Q&As}

Citrix XenServer 6.0 Administration

Pass home 1Y0-A26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1y0-a26.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario: An administrator is planning to upgrade the RAM in a XenServer host. Due to business restrictions, the host must be shut down during normal business hours. High availability is enabled in the XenServer resource pool.

Which step does the administrator need to take before shutting down the XenServer host to allow the virtual machines to run after the host is shut down?

- A. Disable high availability.
- B. Export the virtual machines.
- C. Place the host in maintenance mode.
- D. Copy the virtual machines to another host.

Correct Answer: C

QUESTION 2

Scenario: An administrator tries to start a virtual machine on a host that has an NFS storage repository. The virtual machine gives the error "This virtual machine needs storage that cannot be seen from the server."

Which action, within XenCenter, can the administrator take on the NFS storage repository to correct this issue?

- A. Repair
- B. Forget
- C. Detach
- D. Set as default

Correct Answer: A

QUESTION 3

Scenario: An administrator needs to isolate network communication between two virtual machines on different XenServer hosts in the same pool. The existing network features 1 GB switches, which do NOT support VLANs.

Which network type must the administrator select to meet the requirements of the scenario?

- A. Bonded
- B. External
- C. Cross-server private
- D. Single-server private

Correct Answer: C

QUESTION 4

Scenario: An administrator is creating a vDisk image of a physical Windows server using XenConvert. This vDisk is going to be used by multiple target devices in Standard Image mode.

What does the administrator need to do during the physical-to-virtual conversion to increase the vDisk performance?

- A. SysPrep the vDisk.
- B. Optimize the vDisk.
- C. Run the Windows server in Safe mode.
- D. Defragment the physical hard disk before conversion.

Correct Answer: B

QUESTION 5

Scenario: A XenServer pool consists of two XenServer hosts. Both hosts have three network interface cards (NICs). One NIC will be used to connect to a new shared storage LUN. The administrator needs to be able to migrate virtual machines from one XenServer host to the other.

What does the administrator need to select in XenCenter to make this LUN available to both XenServers?

- A. CIFS
- B. NFS ISO
- C. Hardware HBA
- D. Software iSCSI

Correct Answer: D

[Latest 1Y0-A26 Dumps](#)

[1Y0-A26 Study Guide](#)

[1Y0-A26 Exam Questions](#)