VCE & PDF
Lead4Pass.com

1Y0-A28^{Q&As}

Implementing NetScaler 10 for Networking and Traffic Optimization

Pass Citrix 1Y0-A28 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/1Y0-A28.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Scenario: A network engineer plans to configure an Active Directory Server as the default authentication for a NetScaler deployment and provide users with the option to change their password if it is expired. Which two actions should the engineer take to configure this authentication requirement on the NetScaler system? (Choose two.)

A. Configure a pre-authentication policy.

B. Select security type as SSL on Authentication policy.

C. Configure Authentication server with SSO name attribute.

D. Configure Authentication server with allow Password change option.

Correct Answer: BD

QUESTION 2

What are two valid ways of checking that a back-end web server is reachable from the NetScaler SNIP address using port 80? (Choose two.)

A. Run traceroute.

B. Run telnet using the -srcip option.

C. Bind a DNS monitor to a service group containing the web server.

D. Bind a HTTP monitor to a service group containing the web server.

E. Run the ping command between the NetScaler and the web server.

Correct Answer: BD

QUESTION 3

Scenario: The NetScaler has connections to a large number of VPNs. The network engineer wants to minimize the number of ARP requests. Which feature should the network engineer enable to minimize ARP requests?

A. TCP Buffering

B. Use Source IP

C. Edge Configuration

D. MAC based forwarding

Correct Answer: D

QUESTION 4

A network engineer might choose to use SSL_Bridge instead of a SSL virtual server in order to _____. (Choose the correct option to complete the sentence.)

A. be able to decrypt the SSL traffic

B. enable use of OCSP for revoked certificates

C. pass user certificates to the back-end servers

D. enable SSL server certificates on the service group

Correct Answer: C

QUESTION 5

Scenario: A network engineer has created two selectors to use to populate a cache group in integrated caching. One selector, "Hit," will determine what to add to the group. The other, "Inval", will select what should be invalidated.

Which command should the engineer run to create the cache group?

A. add cache contentgroup CacheGroup1 -hitParams Hit -invalParam Inval

B. add cache contentgroup CacheGroup1 -hitSelector Hit -invalSelector Inval

C. set cache contentgroup CacheGroup1 - hitParams Hit -invalParam Inval -type HTTP

D. set cache contentgroup CacheGroup1 -hitSelector Hit - invalSelector Inval -type HTTP

Correct Answer: B

Latest 1Y0-A28 Dumps   1Y0-A28 PDF Dumps   1Y0-A28 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: