

# 1Z0-034<sup>Q&As</sup>

Upgrade Oracle9i/10g OCA to Oracle Database OCP

## Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-034.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which two statements are true about setting the FAST\_START\_MTTR\_TARGET initialization parameter to a nonzero value?

- A. The MTTR advisor will be disabled.
- B. Automatic checkpoint tuning will be enabled.
- C. The value for the LOG\_CHECKPOINT\_INTERVAL initialization parameter will be override the value for FAST\_START\_MTTR\_TARGET.
- D. The time taken to recover the instance after the crash is always exactly the same as the value given for the FAST\_START\_MTTR\_TARGET initialization parameter.

Correct Answer: BC

---

## QUESTION 2

Examine the following RMAN command:

```
RMAN> CONFIGURE ENCRYPTION FOR DATABASE ON; RMAN> BACKUP DATABASE PLUS  
ARCHIVELOG;
```

Which prerequisite must be met before accomplishing the backup?

- A. Provide a password for the encryption.
- B. Set up an Oracle wallet for the encryption.
- C. No setup is required as it is a default encryption method.
- D. Both Oracle wallet and password must be set up for the encryption.

Correct Answer: B

---

## QUESTION 3

After you have restored and recovered a database to a new host by using a previously performed Recovery Manager (RMAN) backup, which is the best option you would consider for the new database?

- A. Opening the database in RESTRICTED mode
- B. Opening the database with the RESETLOGS option
- C. Setting a new DBID for the newly restored database
- D. Restoring the server parameter file (SPFILE) to the new host

Correct Answer: B

---

## QUESTION 4

The DB\_BLOCK\_CHECKING parameter is set to FULL. What checks occur each time the DBWnprocess(es) writes?

- A. The Oracle database will check all data blocks by going through the data on each block, making sure the data is self-consistent.
- B. The DBWn and the direct loader will calculate a checksum and store it in the cache header of every data block when writing it to disk.
- C. The Oracle database will check data blocks belonging to the SYSTEM tablespace only, by going through the data on each block, making sure the data is self-consistent.
- D. The Oracle database will check data blocks belonging to the SYSAUX tablespace only, by going through the data on each block, making sure the data is self-consistent.
- E. The Oracle database will check data blocks in the SYSTEM and SYSAUX tablespaces only, by going through the data on each block, making sure the data is self-consistent.

Correct Answer: A

---

## QUESTION 5

To enable faster incremental backups, you enabled block change tracking for the database. Which two statements are true about the block change tracking file? (Choose two.)

- A. Multiple change tracking files can be created for a database.
- B. The change tracking file must be created after the first level 0 backup.
- C. RMAN does not support backup and recovery of the change tracking file.
- D. The database clears the change tracking file and starts tracking changes again, after whole database restore and recovery operations.

Correct Answer: CD

[Latest 1Z0-034 Dumps](#)

[1Z0-034 PDF Dumps](#)

[1Z0-034 Study Guide](#)