

# 1Z0-050<sup>Q&As</sup>

Oracle Database New Features for Administrators

# Pass Oracle 1Z0-050 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/1Z0-050.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.lead4pass.com/1Z0-050.html

2021 Latest lead4pass 1Z0-050 PDF and VCE dumps Download

#### **QUESTION 1**

Examine the following command:

ALTER DISKGROUP data MOUNT FORCE;

In which scenario can you use the above command to mount the disk group?

A. when ASM disk goes offline

B. when one or more ASM files are dropped

C. when some disks in a disk group are offline

D. when some disks in a failure group for a disk group are rebalancing

Correct Answer: C

#### **QUESTION 2**

The Oracle Database 11g database is running in the ARCHIVELOG mode. The archived redo log files are stored on three locations. The Flash Recovery Area is one of the locations. The details are given below:

LOG\_ARCHIVE\_DEST\_1 = \\'LOCATION = /disk1 /archive1 LOG\_ARCHIVE\_DEST\_2 = \\'SERVICE = Stdb1 DB\_RECOVERY\_FILE\_DEST = 7u01/oradata\\'

Examine the following RMAN command issued to set the deletion policy for archived log files:

RMAN> CONFIGURE ARCHIVELOG DELETION POLICY TO BACKED UP 2 TIMES TO sbt;

Which statement is true regarding what this command accomplishes?

- A. All archived redo log files backed up at least twice to tape are deleted.
- B. All archived redo log files backed up at least once to tape are eligible for deletion.
- C. All archived redo log files backed up at least twice to tape are deleted from the flash recovery area.
- D. All archived redo log files in local archiving destinations and the flash recovery area backed up at least twice to tape are eligible for deletion.

Correct Answer: D

#### **QUESTION 3**

In your database, the RESULT\_CACHE\_MODE parameter has been set to MANUAL in the initialization parameter file.

You issued the following command:

SQL>SELECT /\*+ RESULT CACHE 7 sale category, sum(sale amt) FROM sales GROUP BY sale category;

#### https://www.lead4pass.com/1Z0-050.html

2021 Latest lead4pass 1Z0-050 PDF and VCE dumps Download

Where would the result of this query be stored?

- A. PGA
- B. large pool
- C. shared pool
- D. database buffer cache

Correct Answer: C

#### **QUESTION 4**

View the Exhibit to examine the parameters set for your database instance.

NAME	TYPE	VALUE
filesystemio options	string	ASYNCH
backup tape io slaves	boolean	FALSE
dbwr io slaves	integer	0
disk asynch io	boolean	TRUE
tape asynch io	boolean	TRUE
optimizer use pending statistic	boolean	FALSE
statistics level	string	TYPICAL
timed os statistics	integer	0
timed statistics	boolean	FALSE
aq tm processes	integer	0
db writer processes	integer	1
gcs_server_processes*********************************	integer	0
global txn processes	integer	1
job queue processes	integer	1000
log_archive_max_processes	integer	4 90.000
processes	integer	150

You execute the following command to perform I/O calibration after the declaration of bind variables in the session that are used in the command:

SQL> EXECUTE dbms\_resource\_manager.calibrate\_io( num\_physical\_disks=>1, - max\_latency=>5u,-max\_iops=>:max\_iops, max\_mbps=>:max\_mbps, actual latency=>: actual\_latency);

Which statement describes the consequence?

- A. The command produces an error.
- B. The calibration process runs successfully and populates all the bind variables.
- C. The calibration process runs successfully but the latency time is not computed.
- D. The calibration process runs successfully but only the latency time is computed.

Correct Answer: A

### https://www.lead4pass.com/1Z0-050.html

2021 Latest lead4pass 1Z0-050 PDF and VCE dumps Download

#### **QUESTION 5**

Evaluate the following block of code

**BEGIN** 

DBMS\_NETWORK\_ACL\_ADMIN.CREATE\_ACL(

acl => Imycompany-com-permissions.xmll1

principal => \\'ACCTJvIGR1,

is\_grant => TRUE,

privilege => \\'connect\\');

DBMS\_NETWORK\_ACL\_ADMIN.ASSIGN\_ACL(

acl => \\'mycompany-com-permissions.xml\\\',

host => ".mycompany.com\\');

END;

What is the outcome of the above code?

A. It produces an error because a fully qualified host name needs to be specified.

B. It produces an error because the range of ports associated with the hosts has not been specified.

C. It creates an access control list (ACL) with the user ACCT\_MGR who gets the CONNECT and RESOLVE privileges

D. It creates an access control list (ACL) with the user ACCT\_MGR who gets the CONNECT privilege but not the RESOLVE privilege.

Correct Answer: C

1Z0-050 PDF Dumps

1Z0-050 Exam Questions

1Z0-050 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.