

1Z0-052^{Q&As}

Oracle Database 11g: Administration Workshop I

Pass Oracle 1Z0-052 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-052.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The ORCL database has CONTROL FILE AUTOBACKUP and BACKUP OPTIMIZATION enabled.

TBS1 and TBS2 are the only user-defined tablespaces in ORCL.

USER1.EMP is a table in TBS1.

Examine these commands: From which files are modified blocks backed up?

```
$ rman target /
```

```
RMAN> BACKUP INCREMENTAL LEVEL 0 DATABASE;
```

```
RMAN> EXIT
```

```
$ sqlplus / as sysdba
```

```
SQL> UPDATE user1.emp SET sal=10000 WHERE empno=1;  
1 row updated
```

```
SQL> COMMIT;  
Commit complete.
```

```
SQL> ALTER TABLESPACE tbs1 READ ONLY;  
Tablespace altered.
```

```
SQL> exit
```

```
$ rman target
```

```
RMAN> BACKUP INCREMENTAL LEVEL 1 DATABASE
```

- A. SYSTEM, SYSAUX, UNDO, and TBS1 only
- B. SYSTEM and SYSAUX only
- C. SYSTEM, SYSAUX, UNDO, and TBS2 only
- D. SYSTEM, SYSAUX and UNDO only
- E. SYSTEM, SYSAUX, UNDO, TEMP, TBS1 and TBS2

Correct Answer: A

QUESTION 2

Your database instance is running. db01 is a net service name. You issue a connection request using the following command:

```
SQL> CONNECT scott/tiger@db01
```

Which component receives the request and establishes the appropriate connection?

- A. listener
- B. user process
- C. service name
- D. server process

Correct Answer: A

QUESTION 3

A database instance was terminated due to a lost data file and has not been restarted. You wish to restore database availability by using the Data Recovery Advisor. Examine this list of RMAN commands:

1. startup
2. list failure all;
3. advise failure all;
4. repair failure noprompt;
5. alter database open;

What are the minimum required commands and in what order must they be executed to achieve this?

- A. 1, 2, 3, 4, and 5
- B. 1 and 4
- C. 1, 2, 3, and 4
- D. 1, 3, and 4
- E. 1, 3, 4, and 5

Correct Answer: D

QUESTION 4

Which two statements are true regarding undo tablespaces? (Choose two.)

- A. The database can have more than one undo tablespace

- B. The UNDO_TABLESPACE parameter is valid in both automatic and manual undo management
- C. Undo segments automatically grow and shrink as needed, acting as circular storage buffer for their assigned transactions
- D. An undo tablespace is automatically created if the UNDO_TABLESPACE parameter is not set and the UNDO_MANAGEMENT parameter is set to AUTO during the database instance start up

Correct Answer: AC

QUESTION 5

Which statement is true about loading data using the conventional path of SQL*Loader?

- A. Redo is not generated while performing conventional path loads
- B. Only PRIMARY KEY, UNIQUE KEY and NOT NULL constraints are checked
- C. No exclusive locks are acquired when the conventional path loads are performed
- D. Instead of performing transactions, SQL*Loader directly writes data blocks to the data files
- E. INSERT triggers are disabled before the conventional path load and reenabled at the end of the load

Correct Answer: C

[1Z0-052 PDF Dumps](#)

[1Z0-052 VCE Dumps](#)

[1Z0-052 Practice Test](#)