1Z0-055 ^{Q&As}

Oracle Database 11g: New Features for 9i OCPs

Pass Oracle 1Z0-055 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/1Z0-055.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In which two aspects does hotpatching differ from conventional patching? (Choose two.)

A. It consumes more memory compared with conventional patching

B. It can be installed and uninstalled via OPatch unlike conventional patching

C. It takes more time to install or uninstall compared with convetinal patching

D. It does not require down time to apply or remove unlike conventional patching

E. It is not persistent across instance startup and shutdown unlike conventional patching

Correct Answer: AD

QUESTION 2

You executed the following script:

SQL>@utlrp.sql

What is the significance ofexecuting this script?

A. It performs parallel recompilation of only the stored PL/SQL code

B. It performs sequential recompilation of only the stored PL/SQL code

C. It performs parallel recompilation of any stored PL/SQL as well as Java code

D. It performs sequential recompilation of any stored PL/SQL as well as Java code

Correct Answer: C

QUESTION 3

See the Exhibit:

Incident Details: 3937

Page Refreshed August 21, 2007 7:46:17 PM GMT+07:00 (Refresh)

Summary

Problem Key	ORA-7445	Data Dumped	Yes
	[qcstda()+515]	ECID	Unknown
	[SIGSEGV]	Correlation Keys	SID = 120,57367, ProcId = 42.11
	[ADDR:0x0]		
	[PC:0x9289729]		PQ = (0, 1187619276), Client ProcId =
	[Address not mapped to object]		oracle@edt4r6p1.us.oracle.com (TNS V1-V3).9007_3086911168
Status	Ready		
Active	Yes	Purge Date	September 9, 2007 2:17:26 PM GMT+07:00 (Purging Enabled)
Timestamp	August 20, 2007 9:14:39 PM GMT+07:00		(Disable Purging)
Impact	Unknown		
Source	System Generated		

Application Information

SQL ID	8gmyvkh84w3xj
SQL Text	select * from scott.tabjfv
User	SYS
Module	sqlplus@edt4r6p1.us.oracle.com (TNS V1-V3)
Action	Unknown

Dump Files | Checker Findings | Additional Diagnostics

File Name	Size (MB)	Timestamp	Path	View Contents
orcl_ora_9007_i3937.trc	2.71	August 20, 2007 9:15:14 PM GMT+07:00	/u01/app/oracle/diag/rdbms/orcl/orcl/incident/incdir_3937	
orcl_ora_9007.trc	0	August 20, 2007 9:15:14 PM GMT+07:00	/u01/app/oracle/diag/rdbms/orcl/orcl/trace	

Which statement is true regarding the status of the incident?

A. The DBA is working on the incident and prefers that the incident be kept in the ADR

B. The incident is now in the does state and the ADR can select the incident to be purged

C. The incident has been newly created and is in the process of collecting diagnostic information

D. The data collection for the incident is complete and the incident can be packaged and sent to Oracle Support

Correct Answer: D

QUESTION 4

You need to create a partitioned table to store historical data and you issued the following command:

```
CREATE TABLE purchase_interval
PARTITION BY RANGE (time_id)
INTERVAL (NUMTOYMINTERVAL(1,'month')) STORE IN (tbs1,tbs2,tbs3)
(
PARTITION p1 VALUES LESS THAN(TO_DATE('1-1-2005', 'dd-mn-yyyy')),
PARTITION p2 VALUES LESS THAN(TO_DATE('1-1-2007', 'dd-mn-yyyy')))
AS
SELECT *
FROM purchases
WHERE time_id < TO_DATE('1-1-2007','dd-mm-yyyy');
```

What is the outcome of the above command?

A. It returns an error because the range partitions P1 and P2 should be of the same range

B. It creates two range partitions (P1,P2), within each range partition, it creates month wise subpartitions

C. It creates two range partitions of varying range. For data beyond `1-1-2007\\', it creates partitions with a width of one month each

D. It returns an error because the number of tablespace (TBS1,TBS2,TBS3) specified does not match the number of range partitions (P1,P2) specified

Correct Answer: C

QUESTION 5

See the following PL/SQL block:

DECLARE

my_plans pls_integer,

BEGIN

My_plans := DBMS_SPM.LOAD_PLANS_FROM_CURSOR_CACHE(sql_id=> >9twu5t2dn5xd?;

END;

Which statement is true about the plan being loaded into the SQL plan baseline by the above command?

A. It is loaded with the FIXED status

B. It is loaded with the ACCEPTED status

C. It is not loaded with the ENABLED status

D. It is not loaded with the ACCEPTED status

Correct Answer: B

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: