# 1Z0-063<sup>Q&As</sup>

Oracle Database 12c: Advanced Administration

### Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/1z0-063.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

Which two are true about data dictionary views and contents and output in a CDB? (Choose two.)

A. DBA\_views are a superset of CDB\_views.

- B. CDB\_views can be queried only from CDB\$ROOT.
- C. Data dictionary metadata for user-created objects is contained in PDB system tablespaces.
- D. The data dictionary in CDB\$ROOT stores only metadata for objects common to all its PDBs.
- E. Oracle-supplied data dictionary tables metadata is stored only in CDB\$ROOT.

Correct Answer: BE

Reference: https://docs.oracle.com/database/121/CNCPT/cdblogic.htm#CNCPT89248

#### **QUESTION 2**

You set the following parameters in the parameter file and restart the database instance:

NEMORY\_MAX\_TARGET=0 MEMORY\_\_TARGET=500M PGA\_AGGREGATE\_TARGET=90M SGA\_TARGET=270M

Which two statements are true? (Choose two.)

A. The memory\_max\_target parameter is automatically set to 500 MB.

- B. The pga\_aggregate\_target and sga\_target parameters are automatically set to zero.
- C. The value of the memory\_max\_target parameter remains zero for the database instance.

D. The lower limits of the pga\_aggregate\_target and sga\_target parameters are set to 90 MB and 270 MB respectively.

E. The instance does not start up because Automatic Memory Management (AMM) is enabled but pga\_aggregate\_target and sga\_target parameters are set to nonzero values.

Correct Answer: AD

#### **QUESTION 3**

You have a production Oracle 12c database running on a host.

You want to install and create databases across multiple new machines that do not have any Oracle database software installed. You also want the new databases to have the same directory structure and components as your existing 12c database.

The steps in random order:

1.

### Leads4Pass

Create directory structures similar to the production database on all new machines.

2.

Create a response file for Oracle Universal Installer (OUI) with the same configurations as the production database.

3.

Create a database clone template for the database.

#### 4.

Run the Database Configuration Assistant (DBCA) to create the database.

5.

Run OUI in graphical mode on each machine.

#### 6.

Run OUI in silent mode using the OUI response file.

Identify the required steps in the correct sequence to achieve the requirement with minimal human intervention.

A. 2, 1, 6, and 4

B. 2, 3, and 6

- C. 3, 1, 5, and 6
- D. 2, 3, 1, and 6
- E. 1, 5, and 4

Correct Answer: D

#### **QUESTION 4**

You take your database backups by using the RMAN media management interface (MMI). Which two are true about the use of the RMAN MMI? (Choose two.)

- A. You can use it to create image copies for entire file systems.
- B. You can use it to create image copies for database files.
- C. You can use it to create backup sets for database files.
- D. You can use it to create proxy copies for database files.
- E. You can use it to create proxy copies for entire file systems.

Correct Answer: BC

#### Reference:

https://docs.oracle.com/database/121/ADMQS/GUID-0A8FC1FE-0994-49A7-9F222E3F5FAEAF68.htm#ADMQS0926

### Leads4Pass

#### **QUESTION 5**

Your database is running in ARCHIVELOG mode. You use RMAN to take image copies and you update these copies incrementally every six hours. After a regular maintenance task, when you attempt to restart the instance, it halts in MOUNT state with an error indicating that one of the data files belonging to the

EXAMPLE tablespace is lost.

You want to recover the data file as quickly as possible while maximizing availability for the database.

Examine the possible steps involved in the recovery process:

1.

Mount the database.

2.

Take the data file offline.

3.

Bring the tablespace online.

4.

Use the RMAN SWITCH command to switch to the image copy.

#### 5.

Recover the tablespace.

#### 6.

Open the database.

7.

Use the RMAN RESTORE command to switch to the image copy.

Identify the correct sequence of the required steps.

A. 2, 6, 4, 5, 3

B. 2, 4, 5, 3, 6

C. 1, 2, 4, 6, 3

D. 1, 2, 7, 5, 3, 6

E. 2, 7, 5, 3

Correct Answer: B



Latest 1Z0-063 Dumps

1Z0-063 Practice Test

1Z0-063 Study Guide