

1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-067.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Examine the command:

```
SQL> RECOVER DATABASE USING BACKUP CONTROLFILE UNTIL CANCEL;
```

In which two scenarios is this command required?

- A. The current online redo log file is missing.
- B. A data file belonging to a noncritical tablespace is missing.
- C. All the control files are missing.
- D. The database backup is older than the control file backup.
- E. All the data files are missing.

Correct Answer: AC

Reference: <http://searchoracle.techtarget.com/answer/Recover-database-using-backup-controlfile-until-cancel>

QUESTION 2

You want to export the pluggable database (PDB) hr_pdb1 from the multitenant container database (CDB) CDB1 and import it into the cdb2 CDB as the emp_pdb1 PDB.

Examine the list of possible steps required to perform the task:

1. Create a PDB named emp_pdb1.
2. Export the hr_pdb1 PDB by using the full clause.
3. Open the emp_pdb1 PDB.
4. Mount the emp_pdb1 PDB.
5. Synchronize the emp_pdb1 PDB in restricted mode.
6. Copy the dump file to the Data Pump directory.
7. Create a Data Pump directory in the emp_pdb1 PDB.
8. Import data into emp_pdb1 with the full and remap clauses.
9. Create the same tablespaces in emp_pdb1 as in hr_pdb1 for new local user objects.

Identify the required steps in the correct order.

- A. 2, 1, 3, 7, 6, and 8
- B. 2, 1, 4, 5, 3, 7, 6, 9, and 8

C. 2, 1, 3, 7, 6, 9, and 8

D. 2, 1, 3, 5, 7, 6, and 8

Correct Answer: C

Because the step 2 says that you perform an expdp with the full clause and you don't need to create the tablespaces when you perform the impdp. FULL=yes will export tablespace definitions. So no need step 9.

Reference:

https://docs.oracle.com/cd/B10501_01/server.920/a96652/ch01.htm

QUESTION 3

Which two statements are true about setting the FAST_START_MTTR_TARGET parameter to a nonzero value? (Choose two.)

A. The value of the LOG_CHECKPOINT_INTERVAL parameter overrides the value of the FAST_START_MTTR_TARGET parameter.

B. The MTTR advisor is enabled only if the value is greater than the default value.

C. Automatic checkpoint tuning is enabled.

D. The time taken to recover an instance after a crash is always exactly the same as the value set for the FAST_START_MTTR_TARGET parameter.

Correct Answer: AB

Reference: https://docs.oracle.com/cd/A97630_01/server.920/a96533/instreco.htm

QUESTION 4

Your Oracle 12c multitenant container database (CDB) contains multiple pluggable databases (PDBs). In the PDB hr_pdb, the common user c##admin and the local user b_admin have only the connect privilege.

You create a common role c##role1 with the create table and select any table privileges.

You then execute the commands:

```
SQL> GRANT c##role1 TO c##Madmin CONTAINER=ALL;
```

```
SQL> CONN sys/oracle@HR_PDB as sysdba
```

```
SQL> GRANT c##role1 TO b_admin CONTAINER=CURRENT;
```

Which two statements are true?

A. c##admin can create and select any table, and grant the c##role1 role to users only in the root container.

- B. B_admin can create and select any table in both the root container and Hr_pdb.
- C. c##admin can create and select any table in the root container and all the PDBs.
- D. B_admin can create and select any table only in hr_pdb.
- E. The grant c##role1 to b_admin command returns an error because container should be set to ALL.

Correct Answer: CD

QUESTION 5

You create a new database by using the CREATE DATABASE command in SQL*Plus, with the ENABLE PLUGGABLE DATABASE clause specified.

Which statement is true about the database that is created? (Choose the best answer.)

- A. It is created as a non-CDB that becomes a CDB after the first PDB is plugged in.
- B. It is created as a container database (CDB) with CDB\$ROOT, PDB\$SEED, and a pluggable database (PDB).
- C. It is created as a PDB that must be plugged into an existing CDB.
- D. It is created as a CDB with the CDB\$ROOT and PDB\$SEED databases.

Correct Answer: D

[1Z0-067 VCE Dumps](#)

[1Z0-067 Study Guide](#)

[1Z0-067 Exam Questions](#)