

## 1Z0-071<sup>Q&As</sup>

Oracle Database 12c SQL

### Pass Oracle 1Z0-071 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-071.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two are true about unused columns?

- A. The DESCRIBE command displays unused columns
- B. A primary key column cannot be set to unused.
- C. A query can return data from unused columns, but no DML is possible on those columns.
- D. Once a column has been set to unused, a new column with the same name can be added to the table.
- E. A foreign key column cannot be set to unused.
- F. Unused columns retain their data until they are dropped

Correct Answer: DF

<https://decidhermfosvs.wordpress.com/2007/11/15/back-to-the-basics-droDDing-unused-columns-in-oracle/>

---

**QUESTION 2**

Examine the ORDER\_ITEMS table:

Name	Null?	Type
ORDER_ID	NOT NULL	NUMBER (38)
PRODUCT_ID	NOT NULL	NUMBER (38)
QUANTITY	NOT NULL	NUMBER (38)

Which two queries return rows where QUANTITY is a multiple of ten?

- A. `SELECT * FROM order_items WHERE quantity = TRUNC (quantity, -1);`
- B. `SELECT * FROM order_items WHERE MOD (quantity, 10) = 0;` C. `SELECT" FROM order_items WHERE FLOOR (quantity / 10) = TRUNC (quantity / 10);`
- D. `SELECT FROM order_items WHERE quantity / 10 = TRUNC (quantity);`
- E. `SELECT" FROM order_ _items WHERE quantity = ROUND (quantity, 1);`

Correct Answer: AB

---

**QUESTION 3**

Evaluate the following query:

```
SQL> SELECT TRUNC (ROUND(156.00, -1),-1) FROM DUAL;
```

What would be the outcome?

- A. 150
- B. 200
- C. 160
- D. 16
- E. 100

Correct Answer: C

References: [https://docs.oracle.com/cd/B19306\\_01/server.102/b14200/functions135.htm](https://docs.oracle.com/cd/B19306_01/server.102/b14200/functions135.htm)

[https://docs.oracle.com/cd/B28359\\_01/olap.111/b28126/dml\\_functions\\_2127.htm](https://docs.oracle.com/cd/B28359_01/olap.111/b28126/dml_functions_2127.htm)

---

#### QUESTION 4

Examine this query:

```
SELECT employee_id, first_name, salary
```

```
FROM employees
```

```
WHERE hiredate > 61*
```

Which two methods should yours to prevent prompting for hire date value when this queries executed?

- A. Execute the SET VERIFY ON command before executing the query.
- B. Execute the SET VERIFY OFF command before executing the query.
- C. Store the query in a script and pass the substitution value to the script when executing it.
- D. Replace `\\s1\\` with `and1\\` in the query:
- E. Use the UNDEFINE command before executing the query.
- F. Use the DEFINE command before executing the query

Correct Answer: CF

---

#### QUESTION 5

Which two true about a sql statement using SET operations such as UNION?

- A. The data type of each column returned by the second query must be implicitly convertible to the data type of the corresponding column returned by the first query
- B. The data type of each column returned by the second query must exactly match the data type of the corresponding column returned by the first query
- C. The number, but not names, of columns must be identical for all SELECT statements in the query

D. The data type group of each column returned by the second query must match the data type group of the corresponding column returned by the first query

E. The names and number of columns must be identical for all SELECT statements in the query.

Correct Answer: AC

[Latest 1Z0-071 Dumps](#)

[1Z0-071 PDF Dumps](#)

[1Z0-071 Exam Questions](#)