

1Z0-071^{Q&As}

Oracle Database 12c SQL

Pass Oracle 1Z0-071 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-071.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You issue the following command to drop the PRODUCTS table:

```
SQL > DROP TABLE products;
```

Which three statements are true about the implication of this command? (Choose three.)

- A. All data along with the table structure is deleted.
- B. A pending transaction in the session is committed.
- C. All indexes on the table remain but they are invalidated.
- D. All views and synonyms on the table remain but they are invalidated.
- E. All data in the table is deleted but the table structure remains.

Correct Answer: ABD

QUESTION 2

You are designing the structure of a table in Which two columns have the specifications:

COMPONENT_ID - must be able to contain a maximum of 12 alphanumeric characters and must uniquely identify the row
EXECUTION_DATETIME ?contains Century, Year, Month, Day, Hour, Minute, Second to the maximum precision
and

is used for calculations and comparisons between components.

Which two options define the data types that satisfy these requirements most efficiently? (Choose two.)

- A. The EXECUTION_DATETIME must be of INTERVAL DAY TO SECOND data type.
- B. The EXECUTION_DATETIME must be of TIMESTAMP data type.
- C. The EXECUTION_DATETIME must be of DATE data type.
- D. The COMPONENT_ID must be of ROWID data type.
- E. The COMPONENT_ID must be of VARCHAR2 data type.
- F. The COMPONENT_ID column must be of CHAR data type.

Correct Answer: CF

QUESTION 3

Which three statements are true about defining relations between tables in a relational database?

- A. Foreign key columns allow null values.

- B. Unique key columns allow null values
- C. Primary key columns allow null values.
- D. Every primary or unique key value must refer to a matching foreign key value.
- E. Every foreign key value must refer to a matching primary or unique key value.

Correct Answer: ABE

QUESTION 4

You execute these commands successfully:

```
CREATE GLOBAL TEMPORARY TABLE invoices _ gtt
( customer id INTEGER, invoice_ total NUMBER (10, 2) ) ON COMMIT PRESERVE ROWS;
INSERT INTO invoices_ gtt VALUES (1 100);
COMMIT;
```

Which two are true?

- A. You can add a foreign key to the table.
- B. When you terminate your session, the row will be deleted.
- C. To drop the table in this session, you must first truncate it.
- D. You can add a column to the table in this session.
- E. Other sessions can view the committed row.

Correct Answer: BD

QUESTION 5

Examine this query:

```
SELECT SUBSTR (SYSDATE,1,5) `Result\` FROM DUAL
```

Which statement is true?

- A. It fails unless the expression is modified to TO_CHAR(SUBSTR(SYSDATE,1,5))
- B. It fails unless the expression is modified to SUBSTR (TO_ CHAR(SYSDATE),1,5)
- C. It fails unless the expression is modified to SUBSTR (TO_ CHAR(TRUNC(SYSDATE)),1,5)
- D. It executes successfully with an implicit data type conversion

Correct Answer: D

[1Z0-071 Study Guide](#)

[1Z0-071 Exam Questions](#)

[1Z0-071 Braindumps](#)