

1Z0-072^{Q&As}

Oracle Database 12cR2 Administration

Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two are true about users who are granted SYSDBA or SYSOPER privileges? (Choose two.)

- A. Only users granted SYSDBA can query or update tables in all user schemas.
- B. Only users granted SYSDBA can take a complete backup of a database.
- C. Users granted either SYSDBA or SYSOPER connect to an instance as SYS.
- D. Users granted either SYSDBA or SYSOPER can mount or open a database.
- E. Only users granted SYSDBA can start up and shut down a database instance.
- F. Users granted either SYSDBA or SYSOPER can query data in all user schemas.

Correct Answer: BC

QUESTION 2

Which two are prerequisites for shrinking a table online?

- A. It must have a unique key constraint.
- B. It must not have any referential integrity constraints.
- C. It must not have any DML triggers.
- D. It must be in a tablespace that uses Automatic Segment Space Management (ASSM) .
- E. It must have row movement enabled.

Correct Answer: AB

QUESTION 3

What three are true about Oracle Flashback technology? (Choose three.)

- A. FLASHBACK TRANSACTION can be used to undo the changes made by a committed transaction.
- B. FLASHBACK TABLE can be used to rewind a table back in time.
- C. FLASHBACK DATABASE can be used to rewind a database back and forth in time.
- D. FLASHBACK TABLE can be used to undo dropping a column from a table.
- E. FLASHBACK QUERY can be used to view committed data at any given point in time.

Correct Answer: ACD

QUESTION 4

DATADIR1 and DATADIR2 are database directory objects.

Examine this command: Which two are true about the expdp operation? (Choose two.)

```
[oracle@host01 ~] expdp system/oracle \  
> FULL=y \  
> DUMPFILE=datadir1:full%U.dmp, datadir2: full2%U.dmp \  
> FILESIZE=2G \  
> PARALLEL=4 \  
> LOGFILE= datadir1:/expfull.log \  
> JOB_NAME= expfull
```

- A. It creates a dump file for the entire database.
- B. It fails if the total size of the dump file is more than 2 GB.
- C. It creates a dump file only for objects in the SYSTEM schema.
- D. It creates a master table to store details of the export operation.
- E. It starts only when four worker processes are available.

Correct Answer: AE

Reference:

<https://docs.oracle.com/database/121/SUTIL/GUID-1E134053-692A-4386-BB77153CB4A6071A.htm#SUTIL887>

QUESTION 5

Which two are true about conventional path SQL load? (Choose two.)

- A. It does not generate UNDO.
- B. It cannot load data into clustered tables.
- C. It locks objects being processed.
- D. It enforces referential integrity constraints.
- E. It always generates redo.

Correct Answer: AD

[Latest 1Z0-072 Dumps](#)

[1Z0-072 VCE Dumps](#)

[1Z0-072 Study Guide](#)