

1Z0-072^{Q&As}

Oracle Database 12cR2 Administration

Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two are true about incomplete recovery? (Choose two.)

- A. Incremental backups cannot be used to roll forward the database while performing it.
- B. Uncommitted transactions will be rolled back after it completes.
- C. It is possible only when the database is in MOUNT state.
- D. The database must have FLASHBACK enabled in order to perform it.
- E. Only RMAN backupsets can be used to restore a database as part of it.

Correct Answer: DE

QUESTION 2

Which two are prerequisites for shrinking a table online?

- A. It must have a unique key constraint.
- B. It must not have any referential integrity constraints.
- C. It must not have any DML triggers.
- D. It must be in a tablespace that uses Automatic Segment Space Management (ASSM) .
- E. It must have row movement enabled.

Correct Answer: AB

QUESTION 3

Which three failures do not require intervention for recovery? (Choose three.)

- A. user process failure
- B. media failure
- C. statement failure
- D. network interface card (NIC) failure
- E. transaction failure

Correct Answer: ACE

QUESTION 4

Which two are true about Oracle recovery and data protection solutions? (Choose two.)

- A. RMAN can be used to FLASHBACK a database.
- B. RMAN can be used to roll back committed transactions.
- C. Data Recovery Advisor can be used to restore a single file from an RMAN backupset.
- D. Data Recovery Advisor can be used to validate backup strategies.
- E. Oracle Data Guard can prevent data loss caused by a site failure.

Correct Answer: AE

QUESTION 5

Which statement is true about an undo tablespace created using the Database Configuration Assistant (DBCA)?

- A. It contains undo only for uncommitted transactions.
- B. It is used for the FLASHBACK TABLE...TO BEFORE DROP operation.
- C. It can be recovered while the instance is open in READ WRITE mode.
- D. It must be a smallfile tablespace.
- E. It is a locally managed tablespace.

Correct Answer: AD

[Latest 1Z0-072 Dumps](#)

[1Z0-072 Practice Test](#)

[1Z0-072 Study Guide](#)