

1Z0-074^{Q&As}

Upgrade Oracle DBA 11g or 12c to 12c R2

Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-074.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You want to partition the SALES table on the CITY and SALE_DATE columns.

Which three partitioning methods can you use? (Choose three.)

- A. range
- B. interval
- C. hash
- D. list
- E. virtual column-based

Correct Answer: ACD

Reference: <https://docs.oracle.com/database/121/VLDBG/GUID-6CE884AF-84A4-4E6A-A3EFDCCCEBCAB2DB2.htm#VLDBG00202>

QUESTION 2

The TESTDB container database (CDB) contains two pluggable databases (PDBs), PDB1 and PDB2.

USER1 is a local user in PDB1 and has the SYSBACKUP privilege.

Connect descriptors for PDB1 and PDB2 are mapped to TNS aliases pdb1 and PDB2 in tnsnames.ora.

Examine these commands executed by USER1 when all PDBs are open:

```
$ rman target 'user1/oracle_4U@pdb1 as sysbackup'  
RMAN> SELECT sysdate FROM dual;
```

What is the outcome and why?

- A. An error is returned because the user is connected to a pluggable database.
- B. The current date is displayed.
- C. An error is returned because SQL commands cannot be executed from RMAN without using the SQL shell syntax: SQL "".
- D. An error is returned because the user is not SYS.
- E. An error is returned because the user is not a common user.

Correct Answer: C

QUESTION 3

Which two statements are true about FLEX ASM? (Choose two.)

- A. A database instance on any node can connect to an ASM instance on any node.
- B. A separate ASM network is required.
- C. It is impossible to connect to a database instance on one node if the database password file for the same database is corrupt on another node in the cluster.
- D. Database instances that depend on an ASM instance that is terminated fail over to a node that has a surviving ASM instance.
- E. Database instances that depend on an ASM instance that is terminated connect to a surviving ASM instance.

Correct Answer: DE

QUESTION 4

Which two statements are true about clean restore points in a regular PDB? (Choose two.)

- A. They require a clone instance to be created when used in a PDB flashback operation
- B. They can be created for a PDB when connected to either the PDB or to the root
- C. They require backups to be restored when used in a PDB flashback operation
- D. They are created as guaranteed restore points
- E. They can be created only if shared undo is enabled
- F. They can be created only for a PDB in the mount state

Correct Answer: EF

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/bradv/using-flasbackdatabase-restore-points.html>

QUESTION 5

Which two statements are true about a band join? (Choose two.)

- A. The optimizer always uses the smaller of the two row sources to build a hash table on the join key.
- B. It returns rows for SQL statements that contain an equijoin.
- C. It is a non-equijoin in which the key values in one data set must fall within the specified range of the second data set.
- D. For each row in the first row source, Oracle probes the second row source for matching rows and joins them.
- E. The SQL runtime engine avoids unnecessary scanning of rows that fall outside the defined ranges.

Correct Answer: CE

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/tgsql/joins.html#GUID24F34188-110F-4245-9DE7-43954092AFE0>

[Latest 1Z0-074 Dumps](#)

[1Z0-074 Exam Questions](#)

[1Z0-074 Braindumps](#)