

1Z0-083^{Q&As}

Oracle Database Administration II

Pass Oracle 1Z0-083 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-083.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which four are true about duplicating a database using Recovery Manager (RMAN)? (Choose four.)

- A. Duplication can be done by having the auxiliary database instance pull backup sets from the target database instance.
- B. A connection to an auxiliary instance is always required.
- C. A subset of the target database can be duplicated.
- D. A new DBID is always created for the duplicated database.
- E. A connection to the recovery catalog instance is always required.
- F. A backup of the target database is always required.
- G. Duplication can be done by having the target database instance push copies to the auxiliary database instance.
- H. A connection to the target database instance is always required.

Correct Answer: ABCG

QUESTION 2

You execute the following piece of code with appropriate privileges:

```
BEGIN
  DBMS_REDACT.ADD_POLICY (
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.FULL,
    EXPRESSION    => 'SYS_CONTEXT(''SYS_SESSION_ROLES'', 'MGR') = ''FALSE''';
END;
/

CREATE VIEW SCOTT.EMP_V AS SELECT * FROM SCOTT.EMP;

BEGIN
  DBMS_REDACT.ADD_POLICY (
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP_V',
    POLICY_NAME   => 'SCOTT_EMP_V',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.NONE,
    EXPRESSION    => 'SYS_CONTEXT(''SYS_SESSION_ROLES'', 'MGR') = ''FALSE''';
END;
/
```

User SCOTT has been granted the CREATE SESSION privilege and the MGR role.

Which two statements are true when a session logged in as SCOTT queries the SAL column in the view and the table?

- A. Data is redacted for the EMP.SAL column only if the SCOTT session does not have the MGR role set.

- B. Data is redacted for EMP.SAL column only if the SCOTT session has the MGR role set.
- C. Data is never redacted for the EMP_VW.SAL column.
- D. Data is redacted for the EMP_V.SAL column only if the SCOTT session has the MGR role set.
- E. Data is redacted for the EMP_V.SAL column only if the SCOTT session does not have the MGR role set. Correct

Correct Answer: AC

Note:

*

DBMS_REDACT.FULL completely redacts the column data.

*

DBMS_REDACT.NONE applies no redaction on the column data. Use this function for development testing purposes. LOB columns are not supported.

*

The DBMS_REDACT package provides an interface to Oracle Data Redaction, which enables you to mask (redact) data that is returned from queries issued by low-privileged users or an application.

*

If you create a view chain (that is, a view based on another view), then the Data Redaction policy also applies throughout this view chain. The policies remain in effect all of the way up through this view chain, but if another policy is created for one of these views, then for the columns affected in the subsequent views, this new policy takes precedence.

QUESTION 3

Which three capabilities require the use of the RMAN recovery catalog? (Choose three.)

- A. using the KEEP FOREVER clause with the BACKUP command
- B. using RMAN stored scripts
- C. using the REPORT SCHEMA command to list a database's current data files and tablespaces
- D. creating customized reports about a single database's backups
- E. creating encrypted backups
- F. using the REPORT SCHEMA command to list a database's data files and tablespaces at times in the past

Correct Answer: ABF

A is correct:

<https://docs.oracle.com/en/database/oracle/oracle-database/19/rcmrf/keepOption.html>

"Specifies that the backup or copy never becomes obsolete (see Example 2-27). A recovery catalog is required when FOREVER is specified because the backup records eventually age out of the control file."

B is correct:

<https://docs.oracle.com/database/121/RCMRF/rcmsynta013.htm>

"Execute CREATE SCRIPT only at the RMAN prompt. RMAN must be connected to a target database and a recovery catalog."

F is correct:

<https://docs.oracle.com/en/database/oracle/oracle-database/19/rcmrf/REPORT.html>

"atClause

This subclause specifies a point in time as a time, SCN, or log sequence number. You must be connected to a recovery catalog when issuing a REPORT SCHEMA command with an AT clause."

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/19/bradv/managing-recovery-catalog.html#GUID-2491887B-D9AC-48BE-914D-CB0341A77057>

QUESTION 4

Which four are true about a Recovery Manager (RMAN) duplication without a TARGET connection? (Choose four.)

- A. The NOREDO clause must be used if the backups of the database being duplicated were taken when the database was in NOARCHIVELOG mode.
- B. The UNDO TABLESPACE clause is always required when no connection exists to the TARGET instance.
- C. RMAN "pushes" the backups of the database to be duplicated over the network to the auxiliary instance.
- D. The NOREDO clause can be used if the backups of the database being duplicated were taken when the database was in ARCHIVELOG mode.
- E. RMAN SBT-based backups of the database to be duplicated can be used by the auxiliary instance.
- F. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is closed.
- G. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is opened.
- H. RMAN disk-based backups of the database to be duplicated can be used by the auxiliary instance.

Correct Answer: ADEH

Reference: <http://oradb-srv.wlv.ac.uk/ora12c/RCMRF/rcmsynta020.htm>

QUESTION 5

Which two are true about RMAN duplexed backup sets? (Choose two.)

- A. They can be written only to disk.
- B. They must be written to media.
- C. They can be created by using the RMAN CONFIGURE command to specify duplexing before taking a backup.
- D. They can be created only by using the COPIES option of a BACKUP command.
- E. They can be written to media.

Correct Answer: BD

Reference: <https://web.stanford.edu/dept/itss/docs/oracle/10gR2/backup.102/b14191/rcmconc1003.htm#:~:text=Duplexed%20Backup%20Sets,destinations%20with%20one%20BACKUP%20command.>

[1Z0-083 PDF Dumps](#)

[1Z0-083 VCE Dumps](#)

[1Z0-083 Exam Questions](#)