

1Z0-1042-22^{Q&As}

Oracle Cloud Platform Application Integration 2022 Professional

Pass Oracle 1Z0-1042-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1042-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are tasked with creating a new integration in OIC that will be exposed to clients as a SOAP web service. In addition, this integration will be invoking an external SOAP web service as part of the orchestration flow logic.

In your creation of these SOAP adapter connection components, which is a valid consideration?

- A. You must explicitly specify the target server TLS version for the external web service outbound Invoke connection configuration.
- B. The WSDL URL property value can be defined by uploading a file for either the inbound Trigger connection or the outbound Invoke connection configurations.
- C. The SAML and OAuth security policies are available options for creating either the inbound Trigger connection or the outbound Invoke connection configurations.
- D. Suppress insertion of timestamp into the request and Ignore timestamp in the response message are optional fields only for the outbound Invoke connection configuration.

Correct Answer: D

Explanation: <https://docs.oracle.com/en/cloud/paas/integration-cloud/soap-adapter/create-connection.html>

QUESTION 2

Which REST API can be used for registering a device as third party device?

- A. CREATE /iot/api/v2/private/partners
- B. POST /iot/api/v2/private/partners
- C. REGISTER /iot/api/v2/private/partners
- D. PUT /iot/api/v2/private/partners
- E. GET /iot/api/v2/private/partners

Correct Answer: B

Explanation: You can register all devices in Oracle IoT Cloud as third party partner devices by using this REST API: POST /iot/api/v2/private/partners.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/develop/specifying-devices-third-party-partner-devices-oracle-iot-cloud-service.html>

QUESTION 3

In Oracle Integration Cloud (OIC) Process, you can configure a human task that enable you to model approval task interactions.

What are the available options when configuring the Escalation and Expiration tab of human task?

- A. Expire, Reset, Escalate
- B. Expire, Escalate, Skip, Reset
- C. Never Expire, Expire, Renew, Escalate
- D. Never Expire, Expire, Never Escalate, Escalate

Correct Answer: C

QUESTION 4

Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Node ServiceAccount
- B. Deploy API
- C. View all Details
- D. Deploy to Gateway

Correct Answer: A

QUESTION 5

Which three are valid Oracle Integration Cloud (OIC) Roles ?

- A. ServiceDeployer
- B. ServiceImplementor
- C. ServiceUser
- D. ServiceAdministrator

Correct Answer: ACD

Oracle Integration Cloud Roles Oracle Integration Cloud predefined roles govern access to various Oracle Integration Cloud features: Integrations, Processes, Visual Builder, Integration Insight, and Stream Analytics . Oracle Integration Cloud predefined roles include ServiceAdministrator, ServiceDeveloper, ServiceMonitor, ServiceDeployer, and ServiceUser. <https://docs.oracle.com/en/cloud/paas/integration-cloud-um/integration-cloud-user-um/administering-oracle-integration-cloud.pdf>

[1Z0-1042-22 PDF Dumps](#)

[1Z0-1042-22 Practice Test](#)

[1Z0-1042-22 Exam Questions](#)