

1Z0-133^{Q&As}

Oracle WebLogic Server 12c: Administration I

Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-133.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have an existing domain and need to add a new managed server to it.

Which three statements are true concerning the creation of managed servers? (Choose three.)

- A. A server must be assigned a machine
- B. A server must be assigned a listen port
- C. A server's name cannot be changed after it is created
- D. A server can be associated with a server template
- E. Servers can have duplicate names as long as they have unique ports
- F. A server must be assigned a listen address

Correct Answer: ABF

QUESTION 2

You are using the Embedded LDAP that is supplied by Oracle WebLogic Server. Which three statements are true? (Choose three.)

- A. The Embedded LDAP can be accessed by an external LDAP viewer
- B. The Embedded LDAP cannot be used in a production environment
- C. The Embedded LDAP uses the file system to store WebLogic security provider data
- D. The Embedded LDAP uses the database to store WebLogic security provider data
- E. The Embedded LDAP can be used to store user, group, security roles and security policies for the WebLogic security providers

Correct Answer: ABC

QUESTION 3

GridLink data sources are designed for use with an Oracle RAC database. By using the Fast Connection Failover (FCF) pattern, GridLink data sources can quickly react when a RAC node goes down.

Which two statements are true?

- A. The Oracle Notification service is used to notify the data source of changes to RAC nodes.
- B. The reaction is quick, because in using FCF all network timeouts are set very low.
- C. FCF is faster because it polls and tests connection, freeing the data source from these tasks.

- D. FCF requires the use and configuration of a database server in the GridLink data source.
- E. You can use any Oracle Thin database driver with a GridLink data source.

Correct Answer: AD

QUESTION 4

In the certification matrix for your version of WebLogic Server , you find the row for your database and its version. In that row, in the "type of database use" column, it says "application data access only".

Your database cannot be used _____.

- A. By the administration server
- B. For internal data storage by WebLogic server
- C. By a multidata source
- D. In a production environment
- E. By an Enterprise JavaBean

Correct Answer: B

QUESTION 5

As the technical lead for your project, you have been asked to recommend a new solution to handle frequently increasing loads on your applications. The Weblogic 12.1.2 domain currently runs with two clusters of three servers with request being filtered and passed by a proxy server that uses the round robin algorithm. However, the load sometimes exceeds the maximum capacity of all these servers combined but your domain lacks in scalability.

What is the best implementation solution?

- A. Add a third cluster and spread existing server instances across the clusters.
- B. Modify the proxy server load balancing algorithm to weight based.
- C. Configure dynamic clusters and specify the number of server instances you anticipate at needing at peak load.
- D. Tune work managers to optimize work.
- E. Replace the software load balancer with a hardware load balancer.

Correct Answer: C

[1Z0-133 VCE Dumps](#)

[1Z0-133 Practice Test](#)

[1Z0-133 Study Guide](#)