

1Z0-133^{Q&As}

Oracle WebLogic Server 12c: Administration I

Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-133.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You need to take a web application offline.

Which three options are supported In WebLogic Server when you stop a running application?

- A. Terminate HTTP sessions immediately.
- B. Terminate HTTP sessions after three minutes .
- C. Move HTTP sessions to a database.
- D. Wait for HTTP sessions to time out.
- E. Allow new requests only through the administration port.
- F. Move in -progress requests to another server in the cluster.

Correct Answer: ADE

QUESTION 2

Select two true statements about WebLogic Server's role in transaction management. (Choose two.)

- A. You can configure WebLogic Server JTA properties at the domain, cluster, and server level
- B. WebLogic Server can act as the transaction manager for multiple transactional resource managers during a distributed transaction
- C. WebLogic Server supports transactional work managers
- D. Starting with WebLogic Server 12c, you can create two kinds of clusters: the "standard" cluster, as in previous versions, and the new transactional cluster
- E. WebLogic Server supports transactional Enterprise Java Beans

Correct Answer: AC

QUESTION 3

You are troubleshooting Java Transaction API (JTA) transactions.

The WebLogic Server extension to JTA provides which optional transaction attribute to make troubleshooting easier?

- A. a name
- B. an ID
- C. the status of "marked for rollback"

D. a status

Correct Answer: A

Reference: <https://docs.oracle.com/middleware/11119/wls/WLJTA/trbtrx.htm>

QUESTION 4

Consider a WebLogic Java EE application that uses a JDBC data source.

Which three steps would the application developer typically write code to perform? (Choose three.)

- A. Test the connection to verify the database's availability
- B. Add a new connection to the data source if none are available
- C. Close the connection to return the connection to the data source
- D. Request a connection from the data source
- E. Look up the data source using the JNDI name

Correct Answer: ADE

QUESTION 5

You are troubleshooting why transactions are not being committed. After investigation, you realize that these transactions have enough time during the first phase of the two -phase commit, but not enough time during the second phase.

Therefore, rather than committing, they are timing out and are being rolled back.

Which Java Transaction API (JTA) attribute needs a larger value?

- A. Timeout seconds
- B. Abandon Timeout seconds
- C. Before completion Iteration Limit
- D. Checkpoint Interval seconds
- E. Unregister Resource Grace period

Correct Answer: B
