

1Z0-134^{Q&As}

Oracle WebLogic Server 12c: Advanced Administrator II

Pass Oracle 1Z0-134 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-134.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are tasked with configuring a proxy tier for a WebLogic Server domain that has managed Coherence servers configured.

What must the Coherence cache configuration file include as part of this task? (Choose the best answer.)

- A. connection properties to enable push replication between two Coherence clusters connected over a WAN
- B. connection properties to enable Coherence*Extend clients to connect to the cluster via TCP/IP
- C. HTTP proxy server settings to enable Coherence caching on the web server tier
- D. network connection settings to enable Coherence caching on the client's web browser

Correct Answer: B

Reference: <https://docs.oracle.com/en/middleware/fusion-middleware/coherence/12.2.1.4/administer/deploying-coherence-applications.html#GUID-69C5C7E2-1F70-47FD-A127-73679DE3ADC0>

QUESTION 2

You are in the process of validating the architecture of a domain that will serve applications to automate various business activities for a large retailer. The applications rely heavily on JMS and you need to pay special attention to JMS storage.

You argue in favor of JDBC-based storage rather than file storage.

Your management has asked you to come up with a few key points about why this persistence option would be a better option in case of failure.

Which two justifications would support your choice? (Choose two.)

- A. JDBC-based stores can be accessed by any client and usually do not reside on the machine that hosts the server.
- B. It is easier to recover data from a database rather than from a file.
- C. JDBC-based stores are the default choice when creating a new persistent store so it must be an Oracle-recommended choice.
- D. JDBC-based stores offer better throughput than file stores.

Correct Answer: CD

Reference: <https://docs.oracle.com/middleware/12212/wls/STORE/overview.htm>

QUESTION 3

You are creating a Domain Template to simplify the process of deploying a domain across multiple hosts.

Which five types of information can be included in a Domain Template? (Choose five.)

- A. domain configuration, those included in the config.xml file
- B. Java Enterprise Edition (Java EE) applications and shared libraries
- C. Windows and UNIX server start scripts
- D. Windows Start menu entries
- E. custom folders and files
- F. LDAP data
- G. JTA log
- H. e-mail notification settings

Correct Answer: ABCDE

A: config.xml and any JDBC and JMS resources defined in config.xml are not displayed in the Current Template View pane by default because the Domain Template Builder automatically includes them in the template when creating the template.

B: The Add or Omit Applications screen is displayed only if applications are included in the template or domain that you selected.

C: When you are creating a template, you want the scripts and files that you are packaging with your template to be free of local domain environment settings and ready for use by the Configuration Wizard. The Domain Template Builder automatically updates any standard scripts included in a template (such as start scripts) by replacing hard-coded values for various domain environment settings with replacement variables.

D: The Specify Start Menu Entries screen prompts you to create items to be added to the Windows Start menu.

E: By default, the Domain Template Builder includes files from the WebLogic domain or template you specified as the source for the new template. If you selected a domain as the source for your new template, some files and directories are included automatically.

Reference: http://docs.oracle.com/cd/E21764_01/web.1111/e14139/tempbuild.htm#WLDTB110

QUESTION 4

You are concerned with messages being received systematically. You designed Message-Driven beans (MDB) to guarantee the most reliable way to consume messages.

In which three scenarios would JMS always redeliver a message? (Choose three.)

- A. when the onMessage() method of the MDB throws a Java error
- B. when the transaction the MDB participates in eventually fails and rolls back
- C. when the onMessage() method fails to acknowledge the reception of the message

D. when messages are not being sent as part of a transaction

E. when messages are non-persistent

Correct Answer: BCD

An MDB pool processes each message at least once. Potentially, a message can be process more than once:

*

If an application fails, a transaction rolls back, or the hosting server instance fail during or after the onMessage() method completes but before the message is acknowledged or committed, the message will be redelivered and processed again.

*

Non-persistent messages are also redelivered in the case of failure, except for the case where the message's host JMS server shuts down or crashes, in which case the messages are destroyed.

To ensure that a message is processed exactly once, use container-managed transactions so that failures cause transactional MDB work to rollback and force the message to be redelivered.

Reference: https://docs.oracle.com/cd/E13222_01/wls/docs81/ejb/message_beans.html

QUESTION 5

Your domain is experiencing some intermittent problems that you are not able to figure out on your own. You have opened a case with Oracle Support to help you figure out the problem. The support engineer would like to use the WebLogic Diagnostic Framework (WLDF) to obtain an overall view of your WebLogic Server environment to try to narrow the problem to a particular subsystem.

What WLDF data does the support engineer request from you? (Choose the best answer.)

A. Diagnostic image snapshot

B. Java Flight Recording of the JVM

C. Instrumentation log

D. Specific harvested metrics

Correct Answer: A

Diagnostic Image Capture gathers the most common sources of the key server state used in diagnosing problems. It packages that state into a single artifact, the Diagnostic Image.

Reference: <https://docs.oracle.com/middleware/1212/core/ASADM/diagnostics.htm#ASADM11145>

[1Z0-134 VCE Dumps](#)

[1Z0-134 Practice Test](#)

[1Z0-134 Braindumps](#)