

## 1Z0-432<sup>Q&As</sup>

Oracle Real Application Clusters 12c Essentials

### Pass Oracle 1Z0-432 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-432.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In an advanced Grid Infrastructure Installation, you can optionally configure Grid Naming Service (GNS). In which two cases must you configure the GNS?

- A. You configured a dedicated network for Automatic Storage Management (ASM)
- B. You decided to configure a Flex Cluster
- C. You decided to configure a Standard Cluster
- D. You decided to use IPv6 addresses in client connections
- E. You use Dynamic Host Configuration Protocol (DHCP) to assign IP addresses to cluster nodes

Correct Answer: BE

---

**QUESTION 2**

Which is the correct syntax to create an asmlib disk?

DISK1 = asmlib disk name /dev/sdb1 = first device partition/dev/sdb = device name

- A. /usr/sbin/oracleasm add disk DISK1 /dev/sdfa
- B. /usr/sbin/oracleasm createdisk DISK1 /dev/sdb1
- C. /usr/sbin/oracleasm createdisk DISK1 /dev/sdb
- D. /usr/sbin/oracleasm map DISK1 /dev/sdb

Correct Answer: B

---

**QUESTION 3**

Which command can be used to create an Oracle ACFS file system resource?

- A. crsctl create resource -t filesystem -f /dev/asm/ -m /
- B. srvctl add filesystem -m / -d /dev/asm/
- C. asmcmd fscreate - - resource ACFS mount / -- file/dev/asm/
- D. srvctl create resource -fs/dev/asm/ -mount /
- E. SQL > alter system add filesystemdevice = '/dev/asm/\mount\_dir = '\';

Correct Answer: B

---

**QUESTION 4**

Identify two correct statements about stopping instances and Oracle RAC databases

- A. To shut down an Oracle RAC database completely, you must shut down every instance that has the database open or mounted.
- B. After a NORMAL or IMMEDIATE shutdown, instance recovery is required
- C. srvctl stop instance shuts down the Oracle RAC database.
- D. crsctl stop crs stops the stack on the node, including the database instance.

Correct Answer: AD

---

**QUESTION 5**

You are tasked with managing an Oracle RAC 12cR1 installation, which is using Oracle Flex Cluster.

While analyzing the installation you realize that racdbnode2 should be configured as a Leaf node instead of a Hub node.

Which commands must you use to determine the cluster node type (role) of racdbnode2 and change the role to Leaf node of the same node?

A. [GRID]>srvctl config vip -node racdbnode2[GRID]>crsctl get node role config#Change to root#u password: XXXX[GRID]>crsctl config -i node role leaf

B. [GRID]>srvctl config vip -node racdbnode2[GRID]>crsctl get node role config[GRID]>crsctl set node role leaf[GRID]>crsctl stop crs[GRID]>crsctl start crs

C. [GRID]>srvctl config vip -node racdbnode2[GRID]>crsctl get node role config#Change to root#u password: XXXX[GRID]>crsctl set node role leaf[GRID]>crsctl stop crs[GRID]>crsctl start crs

D. [GRID]>srvctl set vip -node racdbnode2[GRID]>crsctl modify node role config#Change to root#u

password: XXXX

[GRID]>crsctl set node role leaf

[GRID]>crsctl restart crs

Correct Answer: C

[Latest 1Z0-432 Dumps](#)

[1Z0-432 Practice Test](#)

[1Z0-432 Exam Questions](#)