

## 1Z0-447<sup>Q&As</sup>

Oracle GoldenGate 12c Implementation Essentials

### Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-447.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which transactions are captured if you ADD EXTRACT with BEGIN NOW at 1:00 PM, START EXTRACT at 2:00 PM?

- A. Transactions that started at or after 1:00 PM
- B. Transactions that started before 1:00 PM and committed after 2:00 PM
- C. Only transactions that started before 1:00 PM and committed after 1:00 PM
- D. Only transactions that started at or after 2:00 PM

Correct Answer: A

---

**QUESTION 2**

If multiple GoldenGate processes are accessing a set of trail files, which process should include the PURGEOLDEXTRACTS parameter to trigger trail file clean-up?

- A. Manager
- B. Replicat
- C. Extract
- D. Extract and Replicat

Correct Answer: A

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg\\_parameters123.htm#GWURF1025](https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters123.htm#GWURF1025)

---

**QUESTION 3**

Which command provides statistics about GoldenGate processes and memory resource utilization?

- A. SEND...CACHEMGR
- B. SEND...LOGSTATS
- C. SEND...GETTCPSTATS
- D. INFO...SHOWCH

Correct Answer: A

---

## QUESTION 4

Your Extract process, which is using an Oracle database, has stopped with uncommitted transactions. How should you guarantee an efficient recovery after Extract has stopped?

- A. Use the FORCETRANS and PURGEORPHANEDTRANSACTIONS parameters to control the bounded recovery feature of the general Extract checkpointing facility.
- B. Use the WARNLONGTRANS parameter to control the bounded recovery feature of the general Extract checkpointing facility.
- C. Use the BR parameter to control the bounded recovery feature of the general Extract checkpointing facility.
- D. Use the PURGEORPHANEDTRANSACTIONS parameter to control the bounded recovery feature of the general Extract checkpointing facility.

Correct Answer: C

Reference: <http://www.oracle.com/technetwork/database/features/availability/maa-goldengate-rac2007111.pdf>

---

## QUESTION 5

You need to look up table definitions in a file. Which Replicat parameter should you use?

- A. ASSUMETARGETDEFS
- B. COLMATCH
- C. SOURCEDEFS
- D. MAP

Correct Answer: C

[1Z0-447 VCE Dumps](#)

[1Z0-447 Practice Test](#)

[1Z0-447 Braindumps](#)