

1Z0-447^{Q&As}

Oracle GoldenGate 12c Implementation Essentials

Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-447.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You want to map exception to an exceptions table using the MAPEXCEPTION option of the MAP parameter. When should you proceed?

- A. when the names of both the source and target tables in the MAP statement are wildcarded
- B. when there is a unique restriction on the exception table
- C. when there is a primary key on the exception table
- D. when there is a failed operation logged on the source table

Correct Answer: A

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_errorhandling.htm#GWUAD502

QUESTION 2

Which three statements are true regarding GoldenGate password encryption? (Choose three.)

- A. An encrypted password cannot be generated using a user-defined key
- B. An encrypted password can be generated using the default key
- C. An encrypted password can be generated using a user-defined key
- D. A password cannot be encrypted and pasted into a parameter file
- E. A password can be encrypted and pasted into a parameter file

Correct Answer: BCE

QUESTION 3

You want to generate an extract file or trail in a non-GoldenGate canonical format like those used in the Initial Load file-to-database utility. How should you configure GoldenGate in order to accomplish this?

- A. Configure Replicat with the FORMATASCII SQLLOADER OPTION.
- B. Configure Extract with the FORMATSQ SQLLOADER OPTION.
- C. Configure Extract with the FORMATASCII SQLLOADER OPTION.
- D. Configure Replicat with the FORMATXML OPTION.

Correct Answer: C

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_initsync.htm#GWUAD546

QUESTION 4

You must implement GoldenGate in a master-to-master configuration. What output from the profiling scripts should you look for to ensure that your implementation is correct?

- A. Tables set with nologging
- B. Tables with Large Object (LOB) data types
- C. Tables that have conflicts
- D. Triggers and sequences

Correct Answer: C

QUESTION 5

Which Replicat MAP parameter and syntax should be used to detect an update conflict on the EURO.SEAT_RESV table and resolve the conflict by determining which record has the oldest LAST_UPDATE value?

- A. MAP us.seat_resv, TARGET euro.seat_resv, COLMAP (ON UPDATE KEYINCLUDING(last_update)), RESOLVECONFLICT (UPDATEROWEXISTS, (DEFAULT, USEMAX(last_update)));
- B. MAP us.seat_resv, TARGET euro.seat_resv, COLMAP (ON UPDATE KEYINCLUDING(last_update)), RESOLVECONFLICT (UPDATEROWEXISTS, (DEFAULT, USEMIN(last_update)));
- C. MAP us.seat_resv, TARGET euro.seat_resv, COMPARECOLS (ON UPDATE KEYINCLUDING(last_update)), RESOLVECONFLICT (UPDATEROWEXISTS, (DEFAULT, USEMIN(last_update)));
- D. MAP us.seat_resv, TARGET euro.seat_resv, COMPARECOLS (ON INSERT KEYINCLUDING(last_update)), RESOLVECONFLICT (INSERTROWEXISTS, (DEFAULT, USEDELTA(last_update)));

Correct Answer: C

Reference: <http://www.oracle.com/technetwork/middleware/gg-activeactive-11-2009-159996.pdf>

[1Z0-447 PDF Dumps](#)

[1Z0-447 VCE Dumps](#)

[1Z0-447 Study Guide](#)