



1Z0-459^{Q&As}

Oracle Identity Governance Suite 11g Essentials

Pass Oracle 1Z0-459 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/1z0-459.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Suppose that you run the RBACX SQL schema query to set up the Oracle Identity Analytics database using the rbackservice database account user ID. Which task is required to allow the RBACX application to access the data after loading? (Choose the best answer.)

- A. Add a new field to therbackservice.endpointstable to allow access through proxy assignments.
- B. Add a new field to therbackservice.globaluser_rolestable to allow access through proxy assignments.
- C. Thejdbc.usernameproperty in thejdbc.propertiesfile must match the database account name.
- D. Thejdbc.usernameandjdbc.passwordproperties in thejdbc.propertiesfile must match the database account name and password.

Correct Answer: C

QUESTION 2

Identify the statement that is true about a disconnected resource model of Oracle Identity Manager. (Choose the best answer.)

- A. No application instance is required.
- B. No resource object exists.
- C. No IT resource instance exists.
- D. The resource object is automatically created in the back end.

Correct Answer: D

QUESTION 3

You are deploying connectors on Oracle Linux systems. As part of the process, you must create a new directory in the target system that will be used by the connector when interfacing with Oracle Identity Governance and the/etc/passwordand/etc/shadowfiles.

Identify the goal of this directory, and explain how Oracle Identity Manager uses that access.(Choose the best answer.)

- A. Create a directory on the target system where the connector can log events. The default directory is/var/logs/oim/connectors.
- B. Create a directory on the target system where the connector can create mirror files for the/etc/passwordand/etc/shadowfiles. This directory is specified in themirrorFilesLocationentry of theLookup.UNIX.Configurationlookup definition. The default value is/etc/connector_mirror_files.
- C. Create a directory on the target system where the connector can store temporary files when running the reconciliation process. These files will be stored until the reconciliation is completed. The default directory is/var/oim/temp/ connectors.



D. Create a directory on the target system where the connector can create backup files for the/etc/passwordand/etc/shadowfiles. Thisdirectory is specified in themirrorFilesLocationentry of theLookup.UNIX.Configurationlookup definition. The default value is/etc/connector_backup_files.

Correct Answer: D

Reference:https://docs.oracle.com/cd/E22999_01/doc.111/e17694/custom.htm#CGUNX21

QUESTION 4

How are pre-existing users and roles synchronized in Oracle Identity Manager 11gR2 after LDAP sync is enabled? (Choose the best answer.)

- A. LDAP sync must be configured when Oracle Identity Manager is installed.
- B. This is done through a scheduled job in Oracle Identity Manager.
- C. The users and roles need to be created manually in the LDAP provider.
- D. This is done automatically after LDAP sync is enabled.

Correct Answer: B

Reference:https://docs.oracle.com/cd/E27559_01/integration.1112/e27123/oid_oid.htm#ID MIG4362

QUESTION 5

Which set of tasks must be performed on Oracle Privileged Account Manager (OPAM) when integrating OPAM with Oracle Identity Manager (OIM)? (Choose the best answer.)

- A. Use a specific OPAM account on an OPAM target, assign one or more LDAP groups to the OPAM account, and use OIM to add and remove users in the LDAP group.
- B. Use a specific OPAM account on an OPAM target, assign one or more database roles to the OPAM account, and use OIM to add and remove users in the database roles group.
- C. Use a specific OPAM account on an OPAM target, assign one or more UNIX groups to the OPAM account, and use OIM to add and remove users in the UNIX group.
- D. Use a specific OPAM group on an OPAM target, assign one or more LDAP accounts to the OPAM group, and use OIM to add and remove users in the LDAP account.
- E. Use a specific OPAM group on an OPAM target, assign one or more database accounts to the OPAM group, and use OIM to add and remove users in the database account.

Correct Answer: C



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.