

# 1Z0-462<sup>Q&As</sup>

Oracle WebCenter Sites 11g Essentials

## Pass Oracle 1Z0-462 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-462.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In a default installation, which three users exist in the SystemUsers table?

- A. Fwadmin
- B. csuser
- C. ContentServer
- D. DefaultReader
- E. SatelliteServer

Correct Answer: BCE

---

**QUESTION 2**

Your client wants to use Engage to render a dynamic recommendation on every page. The recommendation is to be rendered using a pagelet template that will be called by the outer page template using the tag. The segment value of the current visitor will be passed to it. The rest of the page template consists of calls to additional cached pagelets that render the majority of the web page (for example, header, footer, navigation, and body). The total number of segments is 20 and each visitor can belong to only one segment.

Which template caching strategy is the best solution from an efficiency point of view?

- A. using an uncached wrapper that calculates the visitor's segment, and then calls a cached page template by using the tag and passing in c and cid as cache arguments. This template, in turn, calls a cached pagelet by using the tag, specifying style="pagelet" and passing the visitor's segment as cache criteria.
- B. using an uncached wrapper that calculates the visitor's segment, and then calls an uncached page template by using the tag and passing in c and cid as cache arguments. This template, in turn, calls a cached pagelet by using the tag, specifying style = "pagelet" and passing the visitor's segment as cache criteria. \_\_\_
- C. using an uncached wrapper that calculates the visitor's segment, and then calls a cached page template by using the tag and passing in c and cid as cache arguments. This template, in turn, calls a cached pagelet by using the tag, specifying style = "embedded" and passing the visitor's segment as cache criteria.
- D. having no SiteEntry wrapper and using an uncached page template that calculates the visitor's segment, which then calls a cached pagelet by using the tag, specifying style="pagelet" and passing the visitor's segment as cache criteria
- E. having no SiteEntry wrapper and using an uncached page template that calculates the visitor's segment, which then calls a cached pagelet by using the tag, specifying style="embedded" and passing the visitor's segment as cache criteria
- F. having no SiteEntry wrapper and using a cached page template that calculates the visitor's segment, which then calls a cached pagelet by using the tag, specifying style="embedded" and passing the visitor's segment as cache criteria

Correct Answer: C

---

## QUESTION 3

Which set of asset types can be managed only through the Admin UI with the default settings after an installation?

- A. flex filter, recommendation, and flex definition
- B. query, flex definition, and recommendation
- C. SiteEntry, flex parent definition, and flex attributes
- D. flex parent definition, SiteEntry, and query

Correct Answer: D

---

## QUESTION 4

Which three are features that are used in defining a flex definition?

- A. A list of parent definitions
- B. A list of attributes
- C. A list of templates
- D. A list of named associations
- E. A list of filters
- F. A list of start menus

Correct Answer: BDE

---

## QUESTION 5

In the following render tag, what does childpage name refer to?

```
<render:satellitepage pagename='<%=ics.GetVar("childpage name")%>' args="c,cid,foo" />
```

- A. childpage name refers to the value of the template that you want to render.
- B. childpage name refers to the name of the child page asset that you want to render.
- C. childpage name refers to the wrapper element that you want to render.
- D. childpage name refers to the element associated with the current page name.

Correct Answer: C