

1Z0-590^{Q&As}

Oracle VM 3.0 for x86 Essentials

Pass Oracle 1Z0-590 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-590.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The Oracle VM administrator is having issues shutting down a virtual machine. Which log file will best help troubleshoot whether the shutdown command is being successfully executed on the target server?

- A. /var/log/ovs-agent/ovs_performance.log
- B. /var/log/ovs-agent/ovs_operation.log
- C. /var/log/xen/xend.log
- D. /var/log/xen/xend-debug.log

Correct Answer: C

QUESTION 2

An Oracle VM Server is continually losing its connection to the repository. What service is responsible for maintaining timeouts for the OCFS2 cluster stack?

- A. ocfs2
- B. o2cb
- C. ovs-agent
- D. ovsrepositories

Correct Answer: B

QUESTION 3

Oracle VM Server 2.2 consists of which two software components?

- A. Oracle Database XE
- B. Oracle Enterprise Linux 5.3
- C. Xen Hypervisor
- D. Oracle Containers for Java (OC4J)
- E. Oracle WebLogic Server (WLS)

Correct Answer: BC

QUESTION 4

In Oracle VM 2.2.x, which subdirectory of the root repository is used to store virtual machines imported using the P2V tool?

- A. iso_pool
- B. publish_pool
- C. running_pool
- D. seed_pool
- E. sharedDisk
- F. ovs-agent

Correct Answer: C

QUESTION 5

In a paravirtualized environment, which answer best describes the drivers that are used in dom0 and the guest to communicate network I/O requests?

- A. A netback driver is used in dom0, and a netfront driver is used in the guest.
- B. A native device driver is used in dom0, and a netback driver is used in the guest.
- C. A netfront driver is used in dom0, and a native device driver is used in the guest.
- D. A netfront driver is used in dom0, and a blkback driver is used in the guest.
- E. Native drivers are used in both dom0 and the guest.

Correct Answer: A

<http://mokumsolutions.com/chapter-2-oracle-vm-x86-reference-design-and-architectural-introduction>

[Latest 1Z0-590 Dumps](#)

[1Z0-590 Study Guide](#)

[1Z0-590 Exam Questions](#)