

1Z0-591^{Q&As}

Oracle Business Intelligence Foundation Suite 11g Essentials

Pass Oracle 1Z0-591 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-591.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Query Limits are used to manage Query environment in the repository for users and roles and can_____.

- A. Control runaway queries
- B. Limit Queries by maximum run time
- C. Control aggregation
- D. Control User Authentication
- E. Control Write Back Capabilities

Correct Answer: B

Explanation: Query Limits. You can limit queries by the number of rows received, by maximum run time, and by restricting to particular time periods. You can also allow or disallow direct database requests or the Populate privilege. See figure below.

Type	Database	Restrict	Status Max Rows	Max Rows	Status Max Time	Max Time (Minutes)	Populate Privilege	Execu Direc Databa Reque
	03 - Essbase Sample E1		Ignore	100000	Ignore	10	Ignore	Ignore
	09 - System DB (ORCL)		Ignore	100000	Ignore	10	Allow	Allow
	08 - Fusion Order Demo (OLT)		Ignore	100000	Ignore	10	Ignore	Ignore
	05 - Oracle OLAP (DB Views)		Ignore	100000	Ignore	10	Ignore	Ignore
	02 - Sample App Xml Data		Ignore	100000	Ignore	10	Ignore	Ignore
	01 - Sample App Data (ORCL)		Ignore	100000	Ignore	10	Allow	Allow
	04 - Essbase Sample E2		Ignore	100000	Ignore	10	Ignore	Ignore
	07 - Oracle DataMining		Ignore	100000	Ignore	10	Ignore	Ignore

QUESTION 2

Which Oracle Partner is the supplier of map-based content to provide background maps, boundary information, and points of interest?

- A. Navteq

B. TeleAtlas

C. Google

D. ESRI

Correct Answer: A

QUESTION 3

Initialization Blocks are never used to initialize which option?

A. Dynamic Repository Variables

B. System Session Variables

C. Non System Session Variables

D. rpd file

Correct Answer: D

Explanation: Initialization blocks are used to initialize dynamic repository variables, system session variables, and nonsystem session variables.

QUESTION 4

What are the two capabilities that users can apply to an Analysis when working within Plug- In for MS Office?

A. Edit Analysis


B. Refresh All

C. Edit Prompts and Levels

D. Publish

Correct Answer: BC

C: Right-click Table and select Insert as List from the shortcut menu. The Edit Prompts and Levels dialog box appears. Accept the default options and click Insert.



Explanation: B: Click Refresh All from the Oracle BI menu in PowerPoint to refresh all the refreshable objects in the presentation.

Reference: Using Oracle Business Intelligence Office Add-Ins with Oracle Business Intelligence Enterprise Edition (10.1.3.4) on Windows

QUESTION 5

Derived metrics are_____.

- A. Derived from other logical columns
- B. Derived from other physical columns
- C. Used to apply pre-aggregation calculations to measures
- D. Used to rename measures to user-friendly names

Correct Answer: A

[1Z0-591 PDF Dumps](#)

[1Z0-591 Practice Test](#)

[1Z0-591 Exam Questions](#)