

# 1Z0-632<sup>Q&As</sup>

PeopleSoft PeopleTools 8.5x Implementation Essentials

## Pass Oracle 1Z0-632 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-632.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The following object-oriented program is inefficient and includes many unnecessary statements.

```
01 Local Record &Rec = GetRecord();
02 Local Field &StartDt, &EndDt;
03
04 &StartDt = &Rec.GetField (Field.START_DATE);
05 &StartDt = &Rec.GetField (Field.END_DATE);
06 If All (&StartDt.Value, &EndDt.Value) And
07     &StartDt.Value > &EndDt.Value Then
08     &StartDt.SetDefault();
09     Error MagSet(1040, 3, "Message Not Found.", &StartDt.Value, &EndDt.Value)
10 End-If;
```

If you delete lines 2-5, how would you rewrite lines 6-10 to be efficient, compact, and correct?

- A.
- ```
If All (&Rec.GetField (START_DATE.Value), &Rec.GetField(END_DATE.Value)) And
    (&Rec.GetField (START_DATE.Value) > &Rec.GetField(END_DATE.Value) Then
    &Rec.GetField(START_DATE) .SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &Rec.GetField (START DATE.Value),
&Rec.GetField(END_DATE.Value));
End-If;
```
- B.
- ```
If All (&Rec.START_DATE.Value), &Rec.END_DATE.Value)) And
    (&Rec.START_DATE.Value) > &Rec.END_DATE.Value) Then
    &Rec.START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &Rec.START_DATE.Value,
&Rec.END_DATE.Value);
End-If;
```
- C.
- ```
If All (START_DATE.Value, END_DATE.Value) And
    START_DATE.Value) > END_DATE.Value Then
    START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", START_DATE, END_DATE);
End-If;
```
- D.
- ```
If All (START_DATE.Value, END_DATE.Value) And
    START_DATE.Value) > END_DATE.Value Then
    START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", START_DATE.Value, END_DATE.Value);
End-If;
```
- E.
- ```
If All (&START_DATE.Value, &END_DATE.Value) And
    &START DATE.Value) > END DATE.Value Then
    &START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &START_DATE.Value,
&END_DATE.Value);
End-If;
```

A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: A

---

## QUESTION 2

Assume that you open a PeopleSoft application record definition using Application Designer. Which two of the following statements are false? (Choose two.)

- A. In Application Designer, with a record definition open, you can insert additional fields
- B. Any changes made to the record definition in Application Designer are stored in a PeopleTools table as application metadata
- C. In Application Designer, with a record definition open, you can view transactional application data, such as inventory items provided by a vendor
- D. In Application Designer, with a record definition open, you can add or update transactional application data, such as adding a new inventory item
- E. In Application Designer, with a record definition open, you can modify the key structure of the record definition
- F. In Application Designer, with a record definition open, you can set a record field to be a required field for which an end user must specify a value when adding a new row of transactional data

Correct Answer: BF

---

### QUESTION 3

When you attempt to drag a subrecord onto a page, the page definition displays an error. What is the reason for this?

- A. The Use tab on the Page Properties dialog box does not have the Page Size field set to Auto-size so that the page automatically expands to facilitate all the fields in the subrecord
- B. The subrecord definition does not have the Record Type value set to SubRecord
- C. The Use tab on the Record Properties dialog box for the subrecord definition does not have the Parent record field set correctly in the Record Relationship settings
- D. The Page Type Field is not set to be Subpage on the Use tab of the Page Properties dialog box

Correct Answer: C

---

### QUESTION 4

Identify three true statements describing PeopleTools tables. (Choose three.)

- A. PeopleTools tables can be updated equally using PeopleTools, such as Application Designer, or the SQL editing tool for your database platform
- B. PeopleTools tables use the naming convention of having the prefix PD\*, as in PSRECDEFN
- C. PeopleTools tables store metadata that defines the elements of a PeopleSoft application
- D. PeopleTools tables contain the same content, regardless of the PeopleSoft application installed on the database
- E. PeopleTools tables have a consistent structure, regardless of the PeopleSoft application installed on the database
- F. PeopleTools tables are empty until the implementation team has loaded the application's transactional data

Correct Answer: ABC

---

## QUESTION 5

|   |                                                                                                                                                                         |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <pre>If EO_RATECALC_HDR.GENERATE_CROSS_RT = "Y" Then     &amp;RS1.ShowAllRows();     EO_RATECALC_HDR.RATE_TRIANGULATE = "N"; End-If;</pre>                              |
| 2 | <pre>&amp;OLD_PRICE = &amp;TOTAL_PRICE; &amp;TOTAL_PRICE + &amp;NEW_PRICE = &amp;GRAND_TOTAL; GRAND_TOTAL = &amp;GRAND_TOTAL + &amp;TOTAL_PRICE - &amp;OLD_PRICE;</pre> |
| 3 | <pre>Local Field &amp;Crstype;  &amp;Crstype = GetField(Psu_Course_Tbl.Course_Type); &amp;Crstype.Valyue = "T" &amp;Crstype.Enabled &lt;&gt; False;</pre>               |
| 4 | <pre>Local Rowset &amp;Rowset = GetRowset(); Local Row &amp;Row1, &amp;Row2;</pre>                                                                                      |
| 5 | <pre>If Psu_Emp_Review.From_DT &gt; Psu_Emp_Review.To_DT Then     Error ("From date should be prior to To date."); End-If;</pre>                                        |

Which two PeopleCode excerpts contain syntax errors? (Choose two.)

- A. 1
- B. 4
- C. 5
- D. 2
- E. 3

Correct Answer: DE

[1Z0-632 VCE Dumps](#)

[1Z0-632 Study Guide](#)

[1Z0-632 Exam Questions](#)