

1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given the code fragment:

```
public class Person {
    String name;
    int age = 25;

    public Person(String name) {
        this();
        setName(name);
    }

    public Person(String name, int age) {
        Person(name);
        setAge(age);
    }

    //setter and getter methods go here

    public String show() {
        return name + " " + age + " " + number ;
    }

    public static void main(String[] args) {
        Person p1 = new Person("Jesse");
        Person p2 = new Person("Walter", 52);
        System.out.println(p1.show());
        System.out.println(p2.show());
    }
}
```

What is the result?

- A. Jesse 25 Walter 52
- B. Compilation fails only at line n1
- C. Compilation fails only at line n2
- D. Compilation fails at both line n1 and line n2

Correct Answer: D

QUESTION 2

Given the code fragment:

```
String[] cartoons = {"tom", "jerry", "micky", "tom"};

int counter = 0;

if ("tom".equals(cartoons[0])) {

counter++;

} else if ("tom".equals(cartoons[1])) {

counter++;

} else if ("tom".equals(cartoons[2])) {

counter++;

} else if ("tom".equals(cartoons[3])) {

counter++;

}

System.out.print(counter);
```

What is the result?

- A. 1
- B. 2
- C. 4
- D. 0

Correct Answer: A

Explanation: Counter++ will be executed only once because of the else if constructs.

QUESTION 3

Given: What is the result?

```
Book book1 = new EBook();
book1.readBook();
```

- A. 10 : 30 : 6
- B. 10 : 22 : 22
- C. 10 : 22 : 20
- D. 10 : 22 : 6

Correct Answer: A

QUESTION 4

Given the code fragment: What is the result?

```
public class Test {  
    public static void main(String[] args) {  
        String[][] chs = new String[2][];  
        chs[0] = new String[2];  
        chs[1] = new String[5];  
        int i = 97;  
  
        for (int a = 0; a < chs.length; a++) {  
            for (int b = 0; b < chs[a].length; b++) {  
                chs[a][b] = "" + i;  
                i++;  
            }  
        }  
  
        for (String[] ca : chs) {  
            for (String c : ca) {  
                System.out.print(c + " ");  
            }  
            System.out.println();  
        }  
    }  
}
```

- A. 1:2:3:4:5:
- B. 1:2:3:
- C. Compilation fails.
- D. An `ArrayOutOfBoundsException` is thrown at runtime.

Correct Answer: B

QUESTION 5

Given the code fragment:

```
public class Employee {
    String name;
    boolean contract;
    double salary;
    Employee() {
        // line n1
    }
    public String toString() {
        return name + ":" + contract + ":" + salary;
    }
    public static void main(String[] args) {
        Employee e = new Employee();
        // line n2
        System.out.print(e);
    }
}
```

Which two modifications, when made independently, enable the code to print joe:true: 100.0?

- A) Replace line n2 with:
e.name = "Joe";
e.contract = true;
e.salary = 100;
- B) Replace line n2 with:
this.name = "Joe";
this.contract = true;
this.salary = 100;
- C) Replace line n1 with:
this.name = new String("Joe");
this.contract = new Boolean(true);
this.salary = new Double(100);
- D) Replace line n1 with:
name = "Joe";
contract = TRUE;
salary = 100.0f;
- E) Replace line n1 with:
this("Joe", true, 100);

A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: AC

[Latest 1Z0-808 Dumps](#)

[1Z0-808 Study Guide](#)

[1Z0-808 Braindumps](#)